

1869.

QUEENSLAND.

NINTH ANNUAL REPORT

ON

REGISTRATION OF BIRTHS, MARRIAGES, AND DEATHS.

Presented to both Houses of Parliament by Command of His Excellency the Governor.

TO THE HONORABLE ARTHUR HODGSON, ESQUIRE, COLONIAL SECRETARY, ETC., ETC.

General Registry Office,
Brisbane, 14th August, 1869.

SIR,

In transmitting the Ninth Annual Report on Registration of Births, Marriages, and Deaths, to be laid before Parliament, it is not my intention to enter into any elaborate analysis of the facts recorded; as in my report on the Census of 1868, published in the early part of the present year, I entered somewhat minutely into comparisons respecting the Vital Statistics of the Colony since the time of its Separation from New South Wales.

POPULATION.

On the 31st of December, 1868, the estimated population of the Colony was 107,427, consisting of 65,843 males, and 41,584 females.

The natural increase to the population during the year 1868, from the increase of Births over Deaths, was 1,102 males, 1,559 females, in all 2,661 persons.

The following Table shows the increase by Births over Deaths during each quarter, distinguishing the males from the females:—

I.

	Males.	Females.	Total.
Excess of Births over Deaths during First Quarter	225	346	571
Excess of Births over Deaths during Second Quarter	280	402	682
Excess of Births over Deaths during Third Quarter	325	442	767
Excess of Births over Deaths during Fourth Quarter	272	369	641
Total Increase during the Year	1,102	1,559	2,661

Looking at the number of Births, Deaths, and Marriages registered during the year, we find that the Births, numerically, have decreased 16 compared with 1867, and that the Deaths have increased 54 over the number registered in that year, showing, as before stated, an increase of Births over Deaths of 2,661, in 1868, as against 2,731, in 1867,—being a falling off of 2·56 per cent. in the ratio of increase by Births over Deaths. The number of Marriages registered shows a numerical decrease of 72, or a centesimal rate of decrease of 7·70 per cent. in 1868, as compared with 1867.

The mean population of the year 1868, was,—males, 62,839; females, 40,799; persons, 103,638.

The following Table shows the annual rate of increase in the mean population of each of the last nine years, arising from the greater number of Births than of Deaths:—

II.

1860	2·81 per cent.
1861	2·92 per cent.
1862	2·27 per cent.
1863	1·75 per cent.
1864	2·12 per cent.
1865	2·23 per cent.
1866	1·92 per cent.
1867	2·79 per cent.
1868	2·57 per cent.

The following Table shows the proportion that the total number of Births in each year bears to the female portion of the mean population of that year.

III.

Year 1860—11·24 births to each 100 females
 Year 1861—11·26 births to each 100 females
 Year 1862—10·71 births to each 100 females
 Year 1863—10·53 births to each 100 females
 Year 1864—10·97 births to each 100 females
 Year 1865—11·21 births to each 100 females
 Year 1866—11·25 births to each 100 females
 Year 1867—11·35 births to each 100 females
 Year 1868—10·93 births to each 100 females.

BIRTHS.

The subjoined Table shows the number of Births registered in the years 1867 and 1868, and the proportion of males to females born in each year.

IV.

DISTRICT.	1867.			1868.			Total Increase* or Decrease† in the latter year.	Increase* or Decrease† per cent. in the latter year.	Females born to every 100 Males born in 1867.	Females born to every 100 Males born in 1868.
	Males.	Females	Persons.	Males.	Females	Persons.				
Banana	5	7	12	15	14	29	* 17	*141·66	140·00	93·33
Bowen	64	55	119	46	40	86	† 33	† 27·73	85·94	86·96
Brisbane	768	707	1,475	658	655	1,313	†102	† 10·98	92·06	99·54
Burke	2	...	2	3	5	8	* 6	*300·00	...	166·66
Cape River	1	5	6	* 6	500·00
Cardwell	5	7	12	2	4	6	† 6	† 50·00	140·00	200·00
Condamine	13	14	27	8	12	20	† 7	† 26·00	107·69	150·00
Dalby	79	68	147	87	70	157	* 10	* 6·80	86·08	80·46
Drayton and Toowoomba ...	333	326	659	263	287	550	†109	† 16·54	97·90	109·12
Gayndah	55	50	105	56	39	95	† 10	† 9·52	90·90	69·64
Gladstone	36	25	61	30	36	66	* 5	* 8·20	69·44	120·00
Goondiwindi	6	10	16	12	8	20	* 4	* 25·00	166·67	66·66
Ipswich	271	317	588	275	271	546	† 42	† 7·10	116·97	98·54
Leyburn	15	14	29	18	14	32	* 3	* 10·34	93·33	77·77
Mackay	21	17	38	10	23	33	† 5	† 13·16	80·95	23·00
Maryborough	117	103	220	183	168	351	*131	* 59·54	88·03	91·80
Nanango	9	12	21	5	12	17	† 4	† 19·08	133·33	240·00
Nebo	9	4	13	7	6	13	44·44	85·71
Peak Downs	22	14	36	40	30	70	* 34	* 94·44	63·64	75·00
Princhester	5	...	5	2	4	6	* 1	* 20·00	...	200·00
Rockhampton	251	246	497	272	228	500	* 3	* 0·60	98·01	83·82
Roma	17	19	36	44	47	91	* 55	*152·80	111·76	106·82
Somerset	2	2	* 2
Springsure	4	15	19	21	15	36	* 17	* 89·47	395·00	71·43
St. George	9	16	25	13	12	25	176·78	92·31
St. Lawrence	6	9	15	7	10	17	* 2	* 13·33	150·00	142·85
Surat	7	5	12	6	13	19	* 7	* 58·33	71·43	216·66
Tambo	4	5	9	5	4	9	125·00	80·00
Taroom	9	7	16	14	14	28	* 12	* 75·00	77·78	100·00
Townsville	9	24	33	25	23	48	* 15	* 45·45	266·67	92·00
Warrego	6	3	9	9	12	21	* 12	*133·33	50·00	133·33
Warwick	106	91	197	122	95	217	* 20	* 1·01	85·85	77·87
Woogaroo	12	11	23	8	15	23	91·66	187·50
TOTAL	2,275	2,201	4,476	2,267	2,193	4,460	† 16	† 0·36	93·07	96·74

It will be seen, upon reference thereto, that there were 2,267 males, and 2,193 females, born in the year; in all 4,460 persons.

MARRIAGES.

In Marriages a decrease is observable, but to a somewhat smaller extent than in the year 1867. The greatest number of Marriages registered in any one year, since the foundation of the colony, took place in 1865. The number in 1866, was six less, or 0·56 per cent.; in 1867, a

still larger decrease of 123, or 13·16 per cent., was shown; and during 1868, a decrease of 72, or 7·70 per cent. It will thus be seen that, to some extent, a favorable reaction seems to have set in.

V.

TABLE showing the Number of MARRIAGES CELEBRATED in each of the Years 1867 and 1868.

District.	Year.	Church of England.	Church of Rome.	Presbyterians.	Wesleyan Metho- dists.	Primitive Metho- dists.	United Methodist Free Church.	Congregational.	Baptist.	Particular Baptist.	Lutheran.	Hebrew Church.	German Indepen- dent Church.	Bible Christians.	Registration Act.	Total in 1867.	Total in 1868.
Banana	1867	3	3	...
...	1868	1	1
Bowen	1867	6	...	5	3	14	...
...	1868	5	4	...	14
Brisbane	1867	52	72	70	25	13	3	18	9	5	38	21	329	...
...	1868	44	63	55	25	7	3	9	10	2	26	3	18	...	266
Burke	1867	1	1	...
...	1868	5	...	5
Cape River	1867	1	2
...	1868	1
Cardwell	1867	3	3	...
...	1868	1	...	1
Condamine	1867	1	2	...
...	1868	2	1	4	...	7
Dalby	1867	5	11	2	6	2	26	...
...	1868	5	7	2	12	2	...	28
Drayton and Too- woomba	1867	17	43	16	18	10	13	...	1	118	...
...	1868	19	38	11	5	5	10	1	7	...	4	...	100
Gayndah	1867	3	3	15	21	...
...	1868	5	3	...	8
Gladstone	1867	1	3	7	11	...
...	1868	3	1	9	...	13
Goondiwindi... ..	1867	3	1	4	...
...	1868
Ipswich	1867	15	40	12	26	5	...	1	9	9	117	...
...	1868	15	32	15	9	2	8	4	3	...	88
Leyburn	1867	2	2	...
...	1868	2	2
Mackay	1867	3	3	6	12	...
...	1868	2	4	6
Maryborough	1867	11	11	...	6	11	...	8	2	49	...
...	1868	7	22	21	7	12	20	...	3	2	...	94
Nanango	1867	1	1	2	...
...	1868	1	...	1
Nebo	1867	1	4	6	...
...	1868	3	...	3
Peak Downs... ..	1867	2	5	2	9	...
...	1868	1	...	2	11	14
Princhester	1867
...	1868
Rockhampton	1867	12	39	29	2	22	...	12	4	120	...
...	1868	6	40	35	3	12	...	3	99
Roma	1867	2	8	2	2	...	4	18	...
...	1868	13	4	3	...	20
Somerset	1867
...	1868	1	...	1
Springsure	1867
...	1868	9	4	...	13
St. George	1867	4	4	...
...	1868	1	2	...	3
St. Lawrence	1867	1	1	2	...
...	1868	1	...	1
Surat	1867	1	1	2	...
...	1868	3	2	...	5
Tambo	1867	5	5	...
...	1868	3	2	...	5
Taroom	1867
...	1868	1	2	...	3
Townsville	1867	1	10	11	...
...	1868	3	1	1	13	...	18
Warrego	1867	2	2	...
...	1868
Warwick	1867	9	23	5	4	41	...
...	1868	14	16	9	1	1	...	41
Woogaroo	1867	2	2	...
...	1868	1	1
Total in 1867	134	261	141	87	40	3	54	23	5	55	...	15	3	114	935	...
Total in 1868	135	244	161	53	23	3	53	36	10	43	4	7	1	90	...	863

The next point to which I would call attention is, the social condition of persons married in 1868, and also the number of males and females who were married under the age of twenty-one years. The comparative Table, given below, shows that very little change has taken place in the proportion of persons married, under the several heads of social condition; but, it will be perceived, that the proportion of marriage between parties under age has increased, in 1868, 0·64 per cent., over 1867, amongst the males, and 1·22 per cent. amongst the females.

VI.

TABLE showing the CONDITION of all Persons MARRIED in the Colony of Queensland from the 1st December, 1859, to the 31st December, 1868.

YEAR.	Bachelors and Spinsters.	Per cent.	Bachelors and Widows.	Per cent.	Widowers and Spinsters.	Per cent.	Widowers and Widows.	Per cent.	Divorced and Widow.	Per cent.	Social Condition Unspecified.	Per cent.	UNDER AGE.				Total number of Marriages.	
													Males.	Per cent.	Females.	Per cent.		
December 1859, and the Year 1860	223	78·0	37	12·9	13	4·5	13	4·5	9	3·1	85	29·7	286	
The Year 1861	266	82·9	28	8·7	13	4·0	14	4·4	5	1·6	115	35·8	321	
The Year 1862	475	83·3	43	7·5	32	5·6	20	3·5	6	1·1	139	24·4	570	
The Year 1863	677	87·5	45	5·8	32	4·1	20	2·6	7	0·9	183	23·6	774	
The Year 1864	830	87·3	48	5·0	34	3·6	28	2·9	11	1·2	9	0·9	222	23·3	951
The Year 1865	908	84·54	71	6·6	69	6·7	26	2·5	18	1·7	281	27·3	1,074	
The Year 1866	880	82·40	83	7·7	73	6·3	31	2·9	1	0·09	20	1·8	273	25·6	1,068	
The Year 1867	758	81·07	84	8·98	62	6·63	31	3·32	5	0·53	214	22·78	935	
The Year 1868	699	81·00	76	8·80	61	7·06	27	3·12	10	1·16	207	24·00	863	

DEATHS.

The number of Deaths recorded during the year 1868 was 1,799, viz, 1,165 males, and 634 females; a slight increase in the number registered in 1867, the numerical increase being only 54, and the centesimal increase 3.09 per cent.

The Tables relating to the causes of death, published in the Appendix, are somewhat more numerous than those published hitherto, it being deemed advisable to frame them in such a manner as to show the class of diseases most prevalent in the various parts of the colony. I have, therefore, prepared separate tables of mortality for the districts of Brisbane, Maryborough, Rockhampton, Bowen, and Townsville, which embrace the most populous portions of the seaboard from south to north; and also tables for Ipswich, Warwick, Drayton and Toowoomba, Roma, and Clermont, which show the state of mortality in the inland, western, and south-western portions of the colony. Subjoined is a Table (VII), showing the number of Deaths in the year 1867 and 1868 respectively; also, the proportion of Deaths of Females to every 100 Deaths of Males in 1868.

VII.

TABLE showing the NUMBER of DEATHS in the years 1867 and 1868; also the PROPORTION of DEATHS of FEMALES to every 100 DEATHS of MALES in 1868.

DISTRICT.	1867.			1868.			Total Increase* or Decrease† in the latter year.	Increase* or Decrease† in the latter year.	Number of Deaths of Females to every 100 Deaths of Males in 1867.	Number of Deaths of Females to every 100 Deaths of Males in 1868.
	Males.	Females	Persons.	Males.	Females	Persons.				
Banana ...	6	2	8	13	1	14	* 6	*175.00	33.33	7.69
Bowen ...	27	17	44	50	12	62	* 18	*140.90	62.96	24.00
Brisbane ...	301	227	528	316	182	498	† 30	† 94.32	75.41	57.60
Burke ...	21	6	27	22	1	23	† 4	† 85.18	28.57	4.54
Cape River	7	3	10	* 10	42.85
Cardwell ...	5	2	7	2	1	3	† 4	† 42.86	40.00	50.00
Condamine ...	2	3	5	4	2	6	* 1	*120.00	150.00	50.00
Dalby ...	30	14	44	33	15	48	* 4	*109.09	46.67	45.45
Drayton and Toowoomba ...	134	93	227	88	95	183	† 44	† 80.61	69.40	107.95
Gayndah ...	23	7	30	32	13	45	* 15	*150.00	30.43	40.62
Gladstone ...	11	3	14	10	5	15	* 1	*107.14	27.27	50.00
Goondiwindi ...	6	3	9	3	2	5	† 4	† 55.55	50.00	66.66
Ipswich ...	83	71	154	95	71	166	* 12	*107.79	85.54	74.73
Leyburn ...	4	6	10	2	2	4	† 6	† 40.00	150.00	100.00
Mackay ...	9	2	11	4	...	4	† 7	† 36.36	22.22	...
Maryborough ...	34	27	61	115	63	178	*117	*191.80	...	54.80
Nanango ...	5	1	6	3	2	5	† 1	† 83.33	20.00	66.66
Nebo ...	11	1	12	5	...	5	† 7	† 41.66	9.09	...
Peak Downs ...	28	6	34	43	7	50	* 16	* 47.06	21.43	16.30
Princhester ...	6	1	7	4	...	4	† 3	† 57.14	16.67	...
Rockhampton ...	182	99	281	131	82	213	† 68	† 75.80	54.40	62.60
Roma ...	14	7	21	31	16	47	* 26	*223.81	50.00	51.61
Somerset
Springhurst ...	23	3	26	20	8	28	* 2	*107.69	13.04	40.00
St. George ...	3	...	3	10	3	13	* 10	*433.33	...	30.00
St. Lawrence ...	9	1	10	...	3	3	† 7	† 30.00	11.11	...
Surat ...	10	4	14	4	2	6	† 8	† 42.85	140.00	50.00
Tambo ...	6	1	7	9	2	11	* 4	*157.14	16.67	22.22
Taroom ...	15	3	18	11	1	12	† 6	† 66.66	20.00	90.90
Townsville ...	13	7	20	31	9	40	* 20	*200.00	153.85	29.03
Warrego ...	7	4	11	8	2	10	† 1	† 90.90	57.14	25.00
Warwick ...	52	34	86	44	26	70	† 16	† 81.40	65.38	59.09
Woogaroo ...	8	2	10	15	3	18	* 8	*180.00	25.00	20.00
TOTAL ...	1,088	657	1,745	1,165	634	1,799	* 54	* 3.09	60.48	54.42

Table VIII. shows the number of deaths of children under five years of age, registered in the years 1867 and 1868.

VIII.

TABLE showing the NUMBER of DEATHS of CHILDREN, under Five Years of Age, Registered in the Years 1867 and 1868.

District.	1867.			1868.			Increase* or Decrease† in the deaths of Children under two years of age.	Increase* or Decrease† in the deaths of Children two years of age and under five years.	Total Increase* or Decrease† in the deaths of Children under five years of age.
	Under two years.	Two and under five years.	Total under five years.	Under two years.	Two and under five years.	Total under five years.			
Banana ...	1	...	1	1	...	1
Bowen ...	17	5	22	12	4	16	† 5	† 1	† 6
Brisbane ...	271	45	316	235	35	270	† 36	† 10	† 46
Burke ...	4	2	6	1	...	1	† 3	† 2	† 5
Cape River	4	1	5	* 4	* 1	* 5
Cardwell ...	3	1	4	1	...	1	† 2	† 1	† 3
Condamine ...	4	...	4	1	...	1	† 3	...	† 3
Dalby ...	22	2	24	23	2	25	* 1	...	* 1
Drayton and Toowoomba ...	117	27	144	86	35	121	† 31	* 8	† 23
Gayndah ...	13	2	15	9	1	10	† 4	† 1	† 5
Gladstone ...	10	...	10	6	1	7	† 4	* 1	† 3
Goondiwindi ...	3	...	3	2	...	2	† 1	...	† 1
Ipswich ...	67	14	81	95	17	112	* 28	* 3	* 31
Leyburn ...	6	...	6	...	2	2	† 6	* 2	† 4
Mackay ...	2	...	2	† 2	...	† 2
Maryborough ...	31	2	33	83	15	98	* 52	* 13	* 65
Nanango ...	1	1	2	2	...	2	* 1	† 1	...
Nebo ...	3	...	3	† 3	...	† 3
Peak Downs ...	5	2	7	6	7	13	* 1	* 5	* 6
Princhester ...	1	...	1	† 1	...	† 1
Rockhampton ...	140	20	160	98	16	114	† 42	† 4	† 46
Roma ...	10	...	10	18	3	21	* 8	* 3	* 11
Somerset
Springhurst ...	5	...	5	4	2	6	† 1	* 2	* 1
St. George ...	1	1	2	4	1	5	* 3	...	* 3
St. Lawrence	3	...	3	* 3	...	* 3
Surat ...	4	...	4	2	...	2	† 2	...	† 2
Tambo ...	3	...	3	...	1	1	† 3	* 1	† 2
Taroom ...	6	...	6	† 6	...	† 6
Townsville ...	12	2	14	10	...	10	† 2	† 2	† 4
Warrego ...	2	2	4	4	...	4	* 2	† 2	...
Warwick ...	39	13	52	33	6	39	† 6	† 7	† 13
Woogaroo ...	3	...	3	3	...	3
TOTAL ...	806	141	947	746	149	895	* 8	† 52	† 60

Analyzing the deaths of children under five years of age, it is with pleasure I draw attention to the fact, that the total number of deaths, under the age mentioned, is much below that of the year 1867. Deaths of children under two years of age, in 1867, numbered 806; above two and under five years, 141; the total number of deaths under five being 947. During the year 1868, however, only 746 children died under two years; 149 over two and under five; the total number of deaths of children under five being 895. The decrease in this class of deaths, during last year, was therefore as follows:—Under two years, 60; above two and under five, an increase of eight; leaving a total decrease, in deaths under five years, of 52. The percentage of deaths under the age last mentioned to the total deaths in 1868, being 49·74 per cent.

The Tables given below show, first, the average age, at death, in the colony, for the last five years; and secondly, the ratio which deaths below the various ages bear to the total deaths during each year from 1860 to 1868.

IX.

TABLE showing the AVERAGE AGE at the time of DEATH of all persons whose Death has been Registered during the last Five Years.

YEAR.	METROPOLITAN DISTRICT.						ALL OTHER DISTRICTS.						THE WHOLE COLONY.						PERSONS.		
	Males.			Females.			Males.			Females.			Males.			Females.					
	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.	Number of Deaths.	United Ages in Years.	Average Age at Death in Years.			
1864...	302	5,233	17·33	230	2,919	12·69	541	12·603	23·30	296	3,766	12·72	843	17·836	21·16	526	6,685	12·71	1,369	24,521	17·19
1865...	400	5,470	11·17	348	3,836	11·02	587	11·890	20·25	398	4,710	11·83	987	17·360	17·59	746	8,546	11·45	1,733	25,906	14·94
1866...	538	8,309	15·44	401	5,465	13·63	908	20·544	22·62	515	6,658	12·93	1,446	28,853	19·95	916	12,123	13·23	2,362	40,976	17·35
1867...	301	4,545	15·10	227	2,418	10·65	787	15·243	19·36	430	4,227	9·83	1,088	19·788	18·19	657	6,645	10·11	1,745	26,433	15·15
1868...	316	4,548	14·39	182	2,441	13·41	849	17·327	20·40	452	5,387	11·91	1,165	21·875	18·60	634	7,828	12·34	1,799	29,703	16·61

X.

TABLE showing the RATIOS which DEATHS below the various Ages bear to the whole number of DEATHS, during each of the Years 1860, 1861, 1862, 1863, 1864, 1865, 1866, 1867, and 1868.

YEAR.		Under 1 year.	Percentage of Deaths to the whole Deaths of the year.	Under 5 years.	Percentage of Deaths to the whole Deaths of the year.	Under 10 years.	Percentage of Deaths to the whole Deaths of the year.	Under 20 years.	Percentage of Deaths to the whole Deaths of the year.	Under 55 years.	Percentage of Deaths to the whole Deaths of the year.	55 years and upwards.	Percentage of Deaths to the whole Deaths of the year.	Age unspecified.	Percentage of Deaths to the whole Deaths of the year.	Total.
1860	Deaths during the year	141	29·50	215	44·98	225	47·07	236	49·37	425	88·91	37	7·74	16	3·35	478
1861	Deaths during the year	136	27·25	196	39·28	210	42·08	232	46·49	446	89·33	30	6·01	23	4·61	499
1862	Deaths during the year	222	27·85	362	45·42	384	48·18	416	52·20	720	90·34	57	7·15	20	2·51	797
1863	Deaths during the year	329	25·80	628	49·25	693	54·35	742	58·20	1,153	90·43	68	5·33	54	4·24	1,275
1864	Deaths during the year	365	25·24	639	44·19	712	49·24	765	52·90	1,297	90·39	72	4·99	77	5·33	1,446
1865	Deaths during the year	530	33·47	903	52·11	962	55·51	1,030	59·38	1,602	92·44	75	4·33	56	3·23	1,733
1866	Deaths during the year	690	29·21	1,182	50·04	1,245	52·71	1,331	56·35	2,164	91·62	123	5·21	76	3·18	2,362
1867	Deaths during the year	578	33·12	947	54·27	986	56·50	1,047	60·00	1,613	92·44	80	4·58	52	2·98	1,745
1868	Deaths during the year	532	30·68	898	49·91	946	52·56	999	55·53	1,566	87·05	130	7·22	103	5·72	1,799

The following Table shows the percentage which the various causes of mortality bear to the total Deaths in each year, from 1864 to 1868, and contains information of a valuable nature to the medical profession, or to those interested in the Vital Statistics of the Colony.

XI.

TABLE showing the Percentage which the several causes of DEATH bear to the whole DEATHS in each year, from 1864 to 1868.

						PERCENTAGE.				
						1864.	1865.	1866.	1867.	1868.
ZYMOTIC DISEASES.										
Class I.										
1.	Miasmatic Diseases.—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	29·70	29·54	36·33	25·73	26·35
2.	Enthetic Diseases.—Syphilis, &c.	0·21	0·40	0·42	0·06	0·22
3.	Dietic Diseases.—Privation, Scurvy, Delirium Tremens, &c.	1·80	1·44	1·61	0·86	1·61
4.	Parasitic Diseases.—Thrush, Worms, &c.	0·55	1·04	0·51	0·75	0·23
CONSTITUTIONAL DISEASES.										
Class II.										
1.	Diathetic Diseases.—Gout, Dropsy, Cancer, &c.	2·14	1·73	1·91	2·80	3·23
2.	Tubercular Diseases.—Scrofula, Phthisis, Hydrocephalus, &c.	6·92	7·70	7·41	8·25	9·00
LOCAL DISEASES.										
Class III.										
1.	Diseases of the Nervous System.—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	9·41	8·66	10·46	13·87	13·00
2.	Diseases of the Organs of Circulation.—Aneurism, Heart Disease, &c.	2·97	3·06	2·92	3·38	3·28
3.	Respiratory System.—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	4·36	4·27	3·64	5·79	5·23
4.	Digestive Organs.—Gastritis, Enteritis, Peritonitis, Hernia, &c.	4·15	3·92	4·10	5·04	4·50
5.	Urinary Organs.—Nephritis, Ischuria, Diabetes, &c.	0·69	0·23	0·51	0·40	0·61
6.	Organs of Generation.—Ovarian Dropsy, Uterus Disease, &c.	0·11	0·13	0·17	0·22
7.	Joints.—Arthritis, Ostitis, Periostitis, &c.	0·14	0·23	0·13	0·11	0·06
8.	Integumentary System.—Phlegmon, Ulcer, Skin Disease, &c.	0·07	...	0·17	0·23	0·17
DEVELOPMENTAL DISEASES.										
Class IV.										
1.	Diseases of Children.—Cyanosis, Teething, &c.	5·05	7·33	4·61	5·33	5·50
2.	Adults.—Paramecia, Childbirth, &c.	0·82	1·15	0·76	0·92	0·72
3.	Old People.—Old Age, &c.	1·87	0·69	1·19	1·72	2·22
4.	Nutrition.—Atrophy, Debility, &c.	4·63	8·89	8·21	7·39	8·45
VIOLENCE.										
Class V.										
1.	Accident or Negligence.—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	12·03	9·35	6·64	9·80	9·67
2.	Wounds in Battle.—Gunshot Wounds, Sword, Bayonet, or other Wounds	0·00	0·00	0·00	0·00	0·00
3.	Homicide.—Murder and Manslaughter	1·31	0·98	0·63	0·34	0·61
4.	Suicide.—Poison, Drowning, Hanging, &c.	1·24	0·40	0·82	0·46	0·45
5.	Execution.—Hanging	0·07	...	0·04	...	0·06
	Deaths, cause not ascertained	0·21	1·33	0·17	0·29	0·11
	Unspecified or ill-defined	10·65	7·73	6·69	5·79	4·40

As it may be useful to compare the Births which have taken place in the several districts with the Deaths in such districts, a Table is appended showing the results ascertained during the year 1868.

XII.

TABLE showing the Actual Number of BIRTHS and DEATHS, Male and Female, which have been registered in each Registration District throughout the Colony during the Year 1868.

REGISTRATION DISTRICT.	BIRTHS.			DEATHS.			Increase of Births of Males over Deaths of Males.	Decrease of Births of Males over Deaths of Males.	Increase of Births of Females over Deaths of Females.	Decrease of Births of Females over Deaths of Females.	Excess of Births over Deaths.	Excess of Deaths over Births.
	Males.	Females.	Persons.	Males.	Females.	Persons.						
Banana	15	14	29	13	1	14	2	...	13	...	15	...
Bowen	46	40	86	50	12	62	...	4	28	...	24	...
Brisbane	658	655	1,313	316	182	498	342	...	473	...	815	...
Burke	3	5	8	22	1	23	...	19	4	15
Cape River	1	5	6	7	3	10	...	6	2	4
Cardwell	2	4	6	2	1	3	3	...	3	...
Condamine	8	12	20	4	2	6	4	...	10	...	14	...
Dalby	87	70	157	33	15	48	54	...	55	...	109	...
Drayton and Toowoomba	263	287	550	88	95	183	175	...	192	...	367	...
Gayndah	56	39	95	32	13	45	24	...	26	...	50	...
Gladstone	30	36	66	10	5	15	20	...	31	...	51	...
Goondiwindi	12	8	20	3	2	5	9	...	6	...	15	...
Ipswich	275	271	546	95	71	166	180	...	200	...	380	...
Leyburn	18	14	32	2	2	4	16	...	12	...	28	...
Mackay	10	23	33	4	...	4	6	...	23	...	29	...
Maryborough	183	168	351	115	63	178	68	...	105	...	173	...
Nanango	5	12	17	3	2	5	2	...	6	...	8	...
Nebo	7	6	13	5	...	5	2	20	...
Peak Downs	40	30	70	43	7	50	...	3	23	...	2	...
Princhester	2	4	6	4	...	4	...	2	4	...	287	...
Rockhampton	272	228	500	131	82	213	141	...	146	...	44	...
Roma	44	47	91	31	16	47	13	...	31	...	2	...
Somerset	2	2	2	...	8	...
Springhurst	21	15	36	20	8	28	1	...	9	...	12	...
St. George	13	12	25	10	3	13	3	...	7	...	14	...
St. Lawrence	7	10	17	...	3	3	7	...	11	...	13	...
Surat	6	13	19	4	2	6	2	...	2	2
Tambo	5	4	9	9	2	11	...	4	13	...	16	...
Taroom	14	14	28	11	1	12	3	...	14	...	8	...
Townsville	25	23	48	31	9	40	...	6	10	...	11	...
Warrego	9	12	21	8	2	10	1	...	69	...	147	...
Warwick	122	95	217	44	26	70	78	...	12	...	5	...
Woogaroo	8	15	23	15	3	18	...	7
Total	2,267	2,193	4,460	1,165	634	1,799	1,153	51	1,559	...	*2,682	21

* Less 21, excess of Deaths over Births. Total increase, 2,661.

METEOROLOGY.

Appendix B to this Report contains the results of the meteorological observations taken at Bristane, and Appendix C those taken at Sweer's Island, in the Gulf of Carpentaria. The meteorological observer at Brisbane has prefaced the Tables, prepared by him, with a Report, to which I beg to refer my readers. [Vide Appendix B.] With respect to the observations taken at Sweer's Island, I would explain, that the instruments necessary to enable the officer in charge of that station, to take comprehensive observations, had not reached him in time to be of service in last year's observations, and the Table now published will merely afford an opportunity for making some comparisons with those taken during 1869, which are likely to contain valuable information to those interested in this subject.

I have the honor to be,

Sir,

Your most obedient Servant,

FREDK. RAWLINS,

Registrar-General.

APPENDIX TO REGISTRAR-GENERAL'S REPORT ON THE VITAL STATISTICS OF QUEENSLAND FOR THE YEAR 1868.

Table No. 1.

SYNOPSIS of the VITAL STATISTICS of QUEENSLAND, from the Year 1856 to 1868 inclusive.

POPULATION ON THE 31ST DECEMBER OF EACH YEAR, ITS INCREASE NUMERICAL AND CENTESIMAL, AND PROPORTION OF THE SEXES.													MEAN POPULATION OF EACH YEAR, ITS NUMERICAL AND CENTESIMAL INCREASE.													BIRTHS, THEIR PROPORTION TO MEAN POPULATION OF EACH YEAR, AND THEIR NUMERICAL AND CENTESIMAL INCREASE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
YEAR.	POPULATION ON THE 31ST DECEMBER.			NUMERICAL INCREASE IN POPULATION OF 31ST DECEMBER.			CENTESIMAL RATIO OF INCREASE IN POPULATION OF 31ST DECEMBER.			Proportion of Females to each 100 Males in total population of each year.	Male additions to Population of 31st December of each year arising from excess of Births over Deaths.	Female additions to Population of 31st December of each year arising from excess of Births over Deaths.	Total additions to Population of 31st December of each year, arising from excess of Births over Deaths.	Centesimal increase to Population of 31st December of each year from excess of Births over Deaths.	MEAN POPULATION OF EACH YEAR.			NUMERICAL INCREASE IN MEAN POPULATION OF EACH YEAR.			CENTESIMAL RATIO OF INCREASE IN MEAN POPULATION OF EACH YEAR.			Proportion of Females to each 100 Males in mean population of each year.	Male Births registered each year.	Female Births registered each year.	Total Births registered each year.	Numerical Increase* or Decrease† of Births of each year.	Centesimal Increase* or Decrease† in Births of each year.	Centesimal Proportion total Births bear to Mean Population of each year.	Number of Female Births to each 100 Male Births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.						Males.	Females.	Persons.	Males.	Females.	Persons.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
1856...	11,254	7,290	18,544

No.		Date		Description		Amount	

Table No. II.
POPULATION.

BIRTHS, MARRIAGES, and DEATHS registered in the COLONY of QUEENSLAND, during the year 1868, and the estimated POPULATION on the last day of that year.

Estimated Population 31st December, 1867.			Births in 1868.			Marriages in 1868.	Deaths in 1868.			Estimated Population 31st December, 1868.			Estimated Mean Population for the year 1868.		
Males.	Females.	Persons.	Males.	Females.	Persons.		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
59,836	40,013	99,849	2,267	2,193	4,460	863	1,165	634	1,799	65,843	41,584	107,427	62,839	40,799	103,638

Table No. III.
RETURN showing the NUMBER of BIRTHS registered in each Quarter of the Year 1868.

DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTAL OF EACH SEX.		GRAND TOTAL.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Banana	1	2	4	3	5	4	5	5	15	14	29
Bowen	10	10	16	13	8	10	12	7	46	40	86
Brisbane	159	170	171	174	173	180	155	131	658	655	1,313
Burke	...	1	...	1	2	2	1	1	3	5	8
Cape River	3	1	2	1	5	6
Cardwell	1	1	1	3	2	4	6
Condamine	3	2	2	7	2	2	1	1	8	12	20
Dalby	21	12	17	16	24	23	25	19	87	70	157
Drayton and Toowoomba	86	89	57	68	62	63	58	67	263	287	550
Gayndah	18	13	14	9	10	8	14	9	56	39	95
Gladstone	6	8	8	12	8	5	8	11	30	36	66
Goondiwindi	1	4	3	1	5	2	3	1	12	8	20
Ipswich	76	65	76	74	59	61	64	71	275	271	546
Leyburn	4	5	3	6	7	2	4	1	18	14	32
Mackay	3	5	2	3	2	6	3	9	10	23	33
Maryborough	37	23	54	48	48	51	44	46	183	168	351
Nanango	2	6	...	2	3	3	...	1	5	12	17
Nebo	5	3	1	1	...	2	1	...	7	6	13
Peak Downs	12	6	13	7	11	8	4	9	40	30	70
Princhester	1	2	...	1	...	1	1	...	2	4	6
Rockhampton	73	55	78	67	59	56	62	50	272	228	500
Roma	15	17	11	8	9	12	9	10	44	47	91
Somerset	1	1	1	...	2	2
Springure	8	1	4	3	5	8	4	3	21	15	36
St. George	5	1	1	3	3	4	4	4	13	12	25
St. Lawrence	...	2	3	3	2	4	2	1	7	10	17
Surat	2	2	5	1	1	1	5	6	13	13	19
Tambo	...	1	1	1	1	...	3	3	5	4	9
Taroom	2	8	4	2	3	2	5	2	14	14	28
Townsville	3	5	6	9	12	6	4	3	25	23	48
Warrego	2	4	5	2	4	1	1	1	9	12	21
Warwick	23	19	22	24	42	28	30	24	122	95	217
Woogaroo	3	4	2	3	2	6	1	2	8	15	23
TOTAL	586	543	579	579	571	568	531	503	2,267	2,193	4,460
Total Births during each Quarter	1,129	1,158	1,139	1,034	4,460						

Table No. IV.
RETURN showing the NUMBER of MARRIAGES Registered in the year 1868.

DISTRICT.	Church of England.	Church of Rome.	Presbyte-rians.	Wesleyan Methodist.	Primitive Methodist.	United Me-thodist—Free Church	Congrega-tional.	Baptist.	Particular Baptist.	Lutheran.	Hebrew Church.	German Independ-ent.	Bible Chris-tian.	Registra-tion Act.	TOTAL IN 1868.
Banana	1	4	1
Bowen	5	5	14
Brisbane	44	63	55	25	7	3	9	10	2	26	3	...	1	18	266
Burke	5	5
Cape River	...	1	1	2	2
Cardwell	1	1
Condamine	...	2	1	4	7
Dalby	5	7	2	12	2	28
Drayton and Toowoomba	19	38	11	5	5	10	1	7	...	4	100
Gayndah	5	3	8
Gladstone	3	1	9	13
Goondiwindi
Ipswich	15	32	15	9	2	8	4	3	88
Leyburn	2	2
Mackay	2	4	6
Maryborough	7	22	21	7	12	20	...	3	2	94
Nanango	1	1
Nebo	3	3
Peak Downs	...	1	...	2	11	14
Princhester
Rockhampton	6	40	35	3	12	...	3	99
Roma	13	4	3	20
Somerset	9	4	1
Springare	...	1	2	13
St. George	1	3
St. Lawrence	...	3	2	5
Surat	...	3	2	5
Tambo	...	1	2	3
Taroom
Townsville	3	1	1	13	18
Warrego
Warwick	14	16	9	1	1	41
Woogaroo	1	1
Total of each Denomination	135	244	161	53	23	3	53	36	10	43	4	7	1	80	863

POPULATION—continued.

Table No. V.
RETURN showing the NUMBER of DEATHS REGISTERED in each QUARTER of the Year 1868.

DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTAL OF EACH SEX.		GRAND TOTAL.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Banana	4	...	6	1	2	...	13	1	14
Bowen	16	6	12	1	14	1	8	4	50	12	62
Brisbane	111	55	75	49	53	30	77	48	316	182	498
Burke	4	...	8	...	6	...	4	1	22	1	23
Cape River	7	2	...	1	7	3	10
Cardwell	1	1	...	1	...	2	1	3
Condamine	2	1	4	2	6
Dalby	6	3	9	6	9	2	9	4	33	15	48
Drayton and Toowoomba	28	25	14	31	22	22	24	17	88	95	183
Gayndah	7	5	11	4	8	2	6	2	32	13	45
Gladstone	4	...	1	2	2	2	3	1	10	5	15
Goondiwindi	2	1	...	1	...	1	...	3	2	5
Ipswich	34	27	22	17	14	13	25	14	95	71	166
Leyburn	1	...	1	1	1	1	2	2	4
Mackay	3	4	...	4
Maryborough	34	16	32	24	26	14	23	9	115	63	178
Nanango	1	...	1	2	...	1	...	3	2	5
Nebo	4	...	1	5	...	5
Peak Downs	8	1	11	2	10	4	14	...	43	7	50
Princhester	2	...	2	4	...	4
Rockhampton	45	24	43	23	26	18	17	17	131	82	213
Roma	7	7	11	5	6	3	7	1	31	16	47
Somerset
Springhurst	8	3	3	2	5	2	4	1	20	8	28
St. George	2	...	2	2	1	1	5	...	10	3	13
St. Lawrence	1	...	2	...	3	3
Surat	1	...	3	2	4	2	6
Tambo	1	1	3	...	1	...	4	1	9	2	11
Taroom	5	...	2	1	4	...	11	1	12
Townsville	10	7	10	...	10	1	1	1	31	9	40
Warrego	4	...	1	...	1	...	2	...	8	2	10
Warwick	15	9	13	6	9	3	7	8	44	26	70
Woogaroo	3	2	4	...	1	1	7	...	15	3	18
TOTAL	361	197	299	177	246	126	259	134	1,165	634	1,799
Total Deaths during each Quarter	558		476		372		393		1,799		

Table No. VI.

RETURN showing the NUMBER of DEATHS of CHILDREN under FIVE YEARS of AGE REGISTERED during the year 1868.

DISTRICT.											Under 2 years.	2 years and under 5 years.	Total under 5 years.
Banana	1	...	1
Bowen	12	4	16
Brisbane	235	35	270
Burke	1	...	1
Cape River	4	1	5
Cardwell	1	...	1
Condamine	1	...	1
Dalby	23	2	25
Drayton and Toowoomba	86	35	121
Gayndah	9	1	10
Gladstone	6	1	7
Goondiwindi	2	...	2
Ipswich	95	17	112
Leyburn	2	...	2
Mackay
Maryborough	83	15	98
Nanango	2	...	2
Nebo	6	7	13
Peak Downs
Princhester
Rockhampton	98	16	114
Roma	18	3	21
Somerset
Springhurst	4	2	6
St. George	4	1	5
St. Lawrence	3	...	3
Surat	2	...	2
Tambo	1	1
Taroom
Townsville	10	...	10
Warrego	4	...	4
Warwick	33	6	39
Woogaroo	3	...	3
TOTAL	746	149	895

No. 1 of Table No. 7.

SUMMARY of DEATHS of MALES in QUEENSLAND, during the Year 1868.

CAUSES OF DEATH.										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.					
I.—Zymotic Diseases.																																				
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.										87	48	22	10	2	169	4	1	4	6	11	13	11	6	10	4	1	4	3	1	...	40	288				
2. Enthetic Diseases—Syphilis										1	2			
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.										1	1	2	1	...	3	2	2	...	5	1	1	2	1				
4. Parasitic Diseases—Thrush, Worms, &c.										3	3		
TOTAL ...										93	48	22	10	3	176	4	1	5	6	14	15	13	6	15	5	2	6	4	1	...	45	318				
II.—Constitutional Diseases.																																				
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.										2	...	1	1	...	4	6	2	3	2	3	2	...	4	2	3	31			
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c....										16	11	...	2	...	29	...	1	5	11	14	14	8	11	3	1	5	1	10	113
TOTAL ...										18	11	1	3	...	33	...	1	5	11	20	16	11	13	6	3	5	5	2	3	10	144
III.—Local Diseases.																																				
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.										72	13	5	1	...	91	2	2	6	7	9	5	2	6	3	2	1	2	1	2	1	5	144		
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	1	...	1	3	1	...	1	3	10	7	3	1	3	3	1	1	3	41		
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.										9	6	4	1	...	20	...	3	2	4	5	7	10	1	2	5	6	2	2	...	1	5	75				
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.										7	1	2	10	4	3	5	5	5	4	1	6	2	1	1	47		
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	1	2	...	1	1	6		
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1		
7. " Joints—Arthritis, Ostitis, Periostitis, &c.	1	1			
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.										1	1	2	1	3	
TOTAL ...										89	21	11	3	1	125	6	4	2	11	17	31	33	14	10	15	19	8	5	2	2	14	318				
IV.—Developmental Diseases.																																				
1. Diseases of Children—Cyanosis, Teething, &c.										34	15	1	2	...	52	52	
2. " Adults—Paramenia, Childbirth, &c.		
3. " Old People—Old Age, &c.	2	1	11	2	4	8	1	29				
4. " Nutrition—Atrophy, Debility ...										56	8	2	66	2	1	1	1	...	1	2	3	1	...	1	1	80	
TOTAL ...										90	23	3	2	...	118	2	1	1	1	...	1	2	3	1	2	2	11	2	4	8	2	161				
V.—Violence.																																				
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.										3	9	3	1	3	19	18	5	3	9	27	10	14	8	5	8	3	2	1	1	...	10	143				
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	1	2	2	1	2	1			
3. Homicide—Murder and Manslaughter	2	1			
4. Suicide—Poison, Drowning, Hanging, &c.	1	...	1			
5. Execution—Hanging	1		
TOTAL ...										3	9	3	1	3	19	18	6	3	10	29	14	15	10	6	8	3	2	1	1	...	16	161				
Deaths, cause not ascertained	1			
Unspecified, or Ill-defined ...										9	...	2	11	1	1	1	1	5	4	8	5	3	6	...	3	1	2	1	9	62				
TOTALS FROM ALL CAUSES ...										302	112	42	19	7	482	31	14	17	40	86	81	82	51	41	39	31	35	15	13	11	96	1,165				

Census Population : Males in Colony on 2nd March 1868, 62,265.

No. 2 of Table No. 7.

SUMMARY of DEATHS of FEMALES in QUEENSLAND, during the Year 1868.

APPENDIX TO REGISTRAR-GENERAL'S REPORT.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																							
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	60	39	16	22	8	145	8	2	2	4	9	4	2	6	...	1	...	1	186
2. Enthetic Diseases—Syphilis	1	1	1	2
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1	1	2	1	1	4
4. Parasitic Diseases—Thrush, Worms, &c.	2
TOTAL	61	40	17	22	8	148	8	2	2	6	11	5	2	6	...	1	...	1	194
II.—Constitutional Diseases.																							
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	3	...	1	4	1	1	...	4	4	3	4	3	2	1	1	28
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	6	7	4	1	...	18	...	1	3	10	3	4	4	4	1	49
TOTAL	9	7	5	1	...	22	...	1	4	11	3	8	8	7	4	3	2	2	1	77
III.—Local Diseases.																							
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	57	12	1	...	2	72	...	2	1	4	...	5	2	1	...	1	1	90
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	2	1	1	...	2	2	3	1	1	...	1	18
3. Diseases of the Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	4	3	2	1	1	11	1	3	1	1	1	1	...	1	19
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	15	3	1	2	...	21	1	1	1	1	4	1	1	...	1	34
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	...	1	...	1	2	5
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1	1	3
7. Joints—Arthritis, Ostitis, Periostitis, &c.
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	76	18	4	3	4	105	3	5	2	8	6	9	7	6	6	1	1	5	1	1	1	169
IV.—Developmental Diseases.																							
1. Diseases of Children—Cyanosis, Teething, &c.	31	12	3	46	1	47
2. Adults—Paramenia, Childbirth, &c.	2	3	6	2	13
3. Old People—Old Age, &c.	2	2	2	3	1	1	11
4. Nutrition—Atrophy, Debility	63	3	2	68	1	1	1	...	1	72
TOTAL	94	15	5	114	2	3	4	6	3	2	2	2	3	1	1	143
V.—Violence.																							
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	5	4	3	1	14	6	2	3	1	...	2	1	...	1	1	31
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3. Homicide—Murder and Manslaughter
4. Suicide—Poison, Drowning, Hanging, &c.	1	1	2
5. Execution—Hanging
TOTAL	1	5	4	3	1	14	6	2	3	2	...	2	1	...	1	1	...	1	33
Deaths, cause not ascertained	1	1	1
Unspecified, or Ill-defined	8	1	9	1	1	2	1	1	2	17
TOTALS FROM ALL CAUSES	250	85	35	29	14	413	20	11	11	30	24	32	22	20	11	8	5	11	4	2	3	634

No. 3 of Table No. 7.

SUMMARY of DEATHS of MALES and FEMALES in the Colony of QUEENSLAND, during the Year 1868.

CAUSES OF DEATH.														Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	Per centage on Total Deaths.						
I.—Zymotic Diseases.														147	87	38	32	10	314	12	3	6	10	20	17	13	12	10	5	1	5	3	1	...	42	474	26.35					
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.														3	3	1	...	3	2	4	0.22			
2. Enthetic Diseases—Syphilis														1	1	2	2	4	5	29	1.61		
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.														3	1	1	5	5	0.28	
4. Parasitic Diseases—Trush, Worms, &c.	
TOTAL ...														154	88	39	32	11	324	12	3	7	12	25	20	15	12	15	6	2	7	4	1	...	47	512	...					
II.—Constitutional Diseases.														5	...	2	1	...	8	1	1	6	6	7	5	7	5	2	5	2	3	1	...	59	3.28					
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.														22	18	4	3	...	47	...	2	8	21	17	18	12	15	3	1	5	2	11	162	9.00		
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	
TOTAL ...														27	18	6	4	...	55	...	2	9	22	23	24	19	20	10	6	7	7	2	3	1	11	221	...					
III.—Local Diseases.														129	25	6	1	2	163	2	2	1	6	6	12	9	5	4	6	3	3	1	3	2	
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	1	...	1	3	3	1	2	5	12	9	6	2	4	3	3	2	
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.														13	9	6	2	1	31	1	3	2	4	8	8	11	1	3	5	6	3	2
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.														22	4	3	2	...	31	1	5	4	6	9	6	5	1	7	3	1
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	2	2	...	1	...	1	...	1	2	2	1	
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	1	
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	
7. Joints—Arthritis, Ostitis, Periostitis, &c.														1	1	2	1	
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	
TOTAL ...														165	39	15	6	5	230	9	9	4	19	23	40	40	20	16	16	20	13	6	3	3	16	487	...					
IV.—Developmental Diseases														65	27	4	2	...	98	1	2	3	6	2	
1. Diseases of Children—Cyanosis, Teething, &c.	
2. Adults—Paramenia, Childbirth, &c.	
3. Old People—Old Age, &c.	
4. Nutrition—Atrophy, Debility														119	11	4	134	3	1	1	2	1	1	3	3	1	
TOTAL ...														184	38	8	2	...	232	4	1	1	4	4	7	5	3	1	4	4	13	5	5	9	2	304	...					
V.—Violence.														4	14	7	4	4	33	24	7	6	10	27	12	15	8	6	8	3	3	1	1	...	10	174	9.67					
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.		
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	1	2	...	2	1		
3. Homicide—Murder and Manslaughter	2	...	1	1		
4. Suicide—Poison, Drowning, Hanging, &c.	
5. Execution—Hanging	
TOTAL ...														4	14	7	4	4	33	24	8	6	12	29	16	16	10	7	9	3	3	1	1	...	16	194	...					
Deaths, cause not ascertained ...														1	1	1	2	0.11		
Unspecified or ill-defined ...														17	...	2	...	1	20	2	2	1	1	5	6	9	6	3	6	...	3	1	2	1	11	79	4.40					
TOTALS FROM ALL CAUSES ...														552	197	77	48	21	895	51	25	28	70	110	113	104	71	52	47	36	46	19	15	14	103	1,799	...					

Census Population : On the 2nd March, 1868, 102,398 Persons.

No. 4 of Table No. 7.
SUMMARY of DEATHS of MALES and FEMALES registered in the Colony of QUEENSLAND, during each Month of the Year 1868.

		JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTAL.		
CAUSES OF DEATH.		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
I.—Zymotic Diseases.																												
1. Miasmatic Diseases—Scarlatina, &c.		16	14	35	16	69	25	33	23	24	13	22	19	23	9	6	14	15	11	13	14	17	9	24	19	288	186	
2. Enthetic Diseases—Syphilis	
3. Dietic Diseases—Privation, &c.		4	1	4	...	2	...	3	...	2	...	1	...	2	1	1	...	1	1	1	1	3	1	25	4	
4. Parasitic Diseases—Thrush, &c.	1	1	1	...	1	3	2	
TOTAL ...		20	15	40	16	62	26	37	23	27	13	23	19	26	12	9	14	16	12	13	14	18	10	27	20	318	194	
II.—Constitutional Diseases.																												
1. Diathetic Diseases—Gout, &c.		2	3	3	2	2	4	3	2	4	5	4	5	1	1	5	...	3	1	2	3	2	2	31	28	
2. Tubercular Diseases—Scrofula, &c.		8	3	5	5	11	9	12	6	10	4	9	2	5	6	12	2	12	2	8	3	9	4	12	3	113	49	
TOTAL ...		10	3	5	8	14	11	14	10	13	6	13	7	9	11	13	3	17	2	11	4	11	7	14	5	144	77	
III.—Local Diseases.																												
1. Diseases of the Nervous System—Apoplexy, &c.		14	12	10	14	18	6	10	6	9	8	12	7	12	4	8	6	11	8	11	5	11	8	18	6	144	90	
2. " Organs of Circulation—Aneurism, &c.		8	3	...	3	3	1	4	1	3	1	1	2	3	...	4	1	1	3	5	1	5	2	4	3	41	18	
3. " Respiratory System—Bronchitis, &c.		2	3	2	1	6	3	4	1	6	3	4	11	3	11	1	10	1	6	...	3	1	8	1	75	19		
4. " Digestive Organs—Gastritis, &c.		7	2	5	2	5	6	4	5	4	3	2	2	1	3	5	1	3	3	4	2	2	1	5	4	47	34	
5. " Urinary Organs—Nephritis, &c.	1	1	1	...	1	1	1	...	2	2	1	1	6	5	
6. " Organs of Generation—Ovarian Dropsy, &c.	1	1	...	1	1	1	1	1	3	
7. " Joints—Arthritis, &c.	1	...	1	...
8. " Integumentary System—Phlegmon, &c.		1	1	1	3	...	
TOTAL ...		32	20	18	19	33	14	25	16	22	13	22	15	29	10	28	11	26	16	20	8	21	12	36	15	318	169	
IV.—Developmental Diseases.																												
1. Diseases of Children—Cyanosis, &c.		6	5	8	4	8	10	9	7	6	1	...	3	2	1	4	4	...	2	4	3	1	5	4	2	52	47	
2. " Adults—Parameia, &c.	1	...	2	...	3	...	2	1	2	1	1	...	13	
3. " Old People—Old Age, &c.		1	1	5	4	3	...	3	...	2	...	2	1	6	1	3	1	1	3	2	29	11		
4. " Nutrition—Atrophy, &c.		5	8	8	9	11	7	10	14	6	3	5	6	5	5	6	8	3	...	4	3	9	3	8	6	80	72	
TOTAL ...		12	14	16	14	24	23	22	24	15	6	7	9	9	8	16	13	6	5	9	7	10	9	15	11	161	143	
V.—Violence.																												
1. Accident or Negligence—Fractures, &c.		25	1	17	3	13	6	10	4	13	1	9	2	5	1	10	4	4	1	7	3	15	1	15	4	143	31	
2. Wounds in Battle—Gunshot Wounds, &c.	
3. Homicide—Murder, &c.		2	4	4	1	11	...	
4. Suicide—Poison, &c.		2	2	1	2	1	...	6	2	
5. Execution—Hanging	1	1	...	
TOTAL ...		29	1	17	3	15	6	14	4	14	3	10	2	9	1	10	4	5	1	7	3	15	1	16	4	161	33	
Deaths, cause not ascertained	1	1	1	1	
Unspecified or Ill-defined ...		9	1	4	...	4	3	4	3	5	3	9	...	10	2	4	1	3	...	2	1	4	1	4	2	62	17	
TOTALS FROM ALL CAUSES ...		112	55	100	60	153	83	116	80	96	44	84	52	92	44	80	46	73	36	68	37	79	40	112	57	1,165	634	

No. 1 of Table No. 8.

SUMMARY of DEATHS of MALES in BRISBANE, during the Year 1868.

CAUSES OF DEATH.																				Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.		
I.—Zymotic Diseases.																																											
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...																				23	15	4	4	...	51	1	1	1	3	1	...	1	...	2	1	1	...	29	92	
2. Enthetic Diseases—Syphilis	1	1	
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	
4. Parasitic Diseases—Thrush, Worms, &c.	
TOTAL ...																				23	15	4	4	...	51	1	2	1	3	1	2	1	...	3	1	1	...	29	96	
II.—Constitutional Diseases.																																											
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c. ...																				1	1	3	1	1	1	7
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c....																				9	7	...	1	...	17	...	1	2	4	4	5	3	1	2	1	1	3	44
TOTAL ...																				10	7	...	1	...	18	...	1	2	4	7	5	3	1	3	1	1	1	...	1	...	1	...	51
III.—Local Diseases.																																											
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. ...																				25	4	29	1	1	...	1	...	2	2	1	...	1	...	1	39	
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	2	2	1	5	
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. ...																				2	...	1	3	1	2	1	...	1	1	1	1	11	
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. ...																				2	2	1	2	1	1	1	...	1	1	1	11	
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1	
7. " Joints—Arthritis, Ostitis, Periostitis, &c.	
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c. ...																				1	1	2	1	3	
TOTAL ...																				30	5	1	36	3	1	3	7	2	2	...	5	5	3	...	1	...	2	70	
IV.—Developmental Diseases.																																											
1. Diseases of Children—Cyanosis, Teething, &c. ...																				7	5	1	1	...	14	14	
2. " Adults—Paranemia, Childbirth, &c.	
3. " Old People—Old Age, &c.	2	...	1	4	...	7
4. " Nutrition—Atrophy, Debility ...																				35	3	1	39	1	1	1	1	1	44	
TOTAL ...																				42	8	2	1	...	53	1	1	1	1	2	...	1	4	1	65	
V.—Violence.																																											
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	2	1	3	6	6	...	2	3	2	2	3	1	1	2	1	1	30	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	
3. Homicide—Murder and Manslaughter	
4. Suicide—Poison, Drowning, Hanging, &c.	
5. Execution—Hanging	
TOTAL	2	1	3	6	6	...	2	3	2	2	3	1	1	2	1	1	30	
Deaths, cause not ascertained	
Unspecified, or ill-defined	1	1	1	1	1	...	4	
TOTALS FROM ALL CAUSES ...																				110	35	10	7	3	165	11	1	4	10	14	16	11	6	6	9	8	10	1	4	5	35	316	

Census Population : Males in Brisbane District, on 2nd March, 1868, 13,881.

No. 2 of Table No. 8.

SUMMARY of DEATHS of FEMALES in BRISBANE, during the Year 1868.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	
I.—Zymotic Diseases.																								
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	17	10	1	4	1	33	6	1	3	2	1	2	47
2. Eruptive Diseases—Syphilis	1	1	1	6
3. Diabetic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1	1	2	9
4. Parasitic Diseases—Thrush, Worms, &c.
TOTAL	17	10	1	4	1	33	6	2	4	2	1	2	50
II.—Constitutional Diseases.																								
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	1	1	...	1	2	...	2	2	1	11	19
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	3	3	2	8	2	5	1	1	2	3	1	23	46
TOTAL	4	3	2	9	3	6	1	2	4	3	2	2	1	1	34	65
III.—Local Diseases.																								
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	10	3	1	14	...	1	...	3	1	1	1	...	19	35
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	1	1	...	1	1	6	12
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	2	3	1	1	1	4	12
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	6	1	7	1	1	1	1	1	12	22
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	1	2	2
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1	2	2
7. " Joints—Arthritis, Ostitis, Periostitis, &c.
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	16	5	2	...	2	25	1	2	...	5	1	...	2	3	2	1	1	1	...	45	81
IV.—Developmental Diseases.																								
1. Diseases of Children—Cyanosis, Teething, &c.	13	2	1	16	1	16	32
2. " Adults—Paramenia, Childbirth, &c.	2	3	3
3. " Old People—Old Age, &c.	1	1	...	2	1	...	5	5
4. " Nutrition—Atrophy, Debility	17	2	19	1	1	21	40
TOTAL	30	4	1	35	1	2	...	2	1	1	...	2	1	...	45	81
V.—Violence.																								
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	2	1	3	3
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3. Homicide—Murder and Manslaughter
4. Suicide—Poison, Drowning, Hanging, &c.
5. Execution—Hanging
TOTAL	1	1	2	1	3	3
Deaths, cause not ascertained ...	}
Unspecified, or Ill-defined ...		1	1	1	1	2	5
TOTALS FROM ALL CAUSES ...		69	22	6	4	4	105	9	2	3	14	8	4	9	6	4	4	3	2	2	2	5	182	

No. 3 of Table No. 8.

SUMMARY of DEATHS of MALES and FEMALES in BRISBANE, during the Year 1868.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	
I.—Zymotic Diseases.																								
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.		45	25	5	8	1	84	6	2	3	3	3	1	...	1	...	3	1	1	...	31	139
2. Enthetic Diseases—Syphilis	1	1	...
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1	2	2	1	6	...
4. Parasitic Diseases—Thrush, Worms, &c.
TOTAL ...		45	25	5	8	1	84	6	3	6	3	3	1	2	1	...	4	1	1	...	31	146
II.—Constitutional Diseases.																								
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.		2	2	1	1	3	1	2	...	3	2	1	1	...	1	18
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.		12	10	2	1	...	25	...	1	4	9	5	6	5	4	2	1	1	1	3	67
TOTAL ...		14	10	2	1	...	27	...	1	5	10	8	7	7	4	5	3	2	2	...	1	...	3	85
III.—Local Diseases.																								
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.		35	7	1	43	1	1	...	3	...	1	...	1	...	2	2	1	...	2	...	1	58
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	2	1	1	2	1	1	1	2	1	11
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.		2	1	3	6	1	2	1	1	1	2	...	1	1	15
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.		8	1	9	2	2	1	2	2	1	1	2	1	1	23
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	1	3
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	1	1	...	1	3
7. " Joints—Arthritis, Ostitis, Periostitis, &c.
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.		1	1	2	1	3
TOTAL ...		46	10	3	...	2	61	4	2	...	6	4	7	4	5	2	6	6	3	...	2	...	3	115
IV.—Developmental Diseases																								
1. Diseases of Children—Cyanosis, Teething, &c.		20	7	2	1	...	30	30
2. " Adults—Purpura, Childbirth, &c.	2	...	1	3
3. " Old People—Old Age, &c.	1	1	2	2	2	4	...	12
4. " Nutrition—Atrophy, Debility ...		52	5	1	58	2	1	1	1	1	1	65
TOTAL ...		72	12	3	1	...	88	2	1	2	...	2	1	...	1	2	2	2	2	4	1	110
V.—Violence.																								
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.		1	...	2	1	4	8	6	...	2	4	2	2	3	1	1	2	1	1	33
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3. Homicide—Murder and Manslaughter
4. Suicide—Poison, Drowning, Hanging, &c.
5. Execution—Hanging
TOTAL ...		1	...	2	1	4	8	6	...	2	4	2	2	3	1	1	2	1	1	33
Deaths, cause not ascertained
Unspecified or ill-defined ...		1	...	1	2	2	1	1	1	2	9
TOTALS FROM ALL CAUSES ...		179	57	16	11	7	270	20	3	7	24	22	20	20	12	10	13	11	12	3	6	5	40	468

Census Population: In the Brisbane District on the 2nd March, 1868, 27,315 Persons.

No. 4 of Table No. 8.

SUMMARY of DEATHS of MALES and FEMALES registered in BRISBANE, during each Month of the Year 1868.

CAUSES OF DEATH.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTAL.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
I.—Zymotic Diseases.																										
1. Miasmatic Diseases—Scarlatina, &c. ...	3	5	8	2	40	5	8	6	10	2	3	6	4	1	2	3	2	2	6	3	3	5	3	7	92	47
2. Enthetic Diseases—Syphilis	2	...	1	1	1	...	1	...	4	1
3. Dietic Diseases—Privation, &c.	2
4. Parasitic Diseases—Thrush, &c.
TOTAL ...	3	5	10	2	41	5	8	6	10	2	3	6	5	2	2	3	2	2	6	3	3	6	3	8	96	50
II.—Constitutional Diseases.																										
1. Dinthetic Diseases—Gout, &c. ...	3	2	2	1	6	3	4	1	3	1	2	2	...	3	5	2	5	2	4	2	4	2	1	1	7	11
2. Tubercular Diseases—Scrofula, &c.	44	23
TOTAL ...	3	2	2	2	6	5	4	4	4	2	2	3	1	3	5	3	6	2	5	2	6	3	7	3	51	34
III.—Local Diseases.																										
1. Diseases of the Nervous System—Apoplexy, &c. ...	6	3	...	3	4	1	4	2	...	1	3	1	2	1	2	2	2	2	7	...	1	3	8	...	39	19
2. " Organs of Circulation—Aneurism, &c. ...	2	1	1	1	1	1	...	1	...	1	1	...	5	6
3. " Respiratory System—Bronchitis, &c.	1	...	1	...	1	1	2	3	...	2	1	2	...	11	4
4. " Digestive Organs—Gastritis, &c.	1	2	1	...	3	1	...	2	1	...	1	...	1	2	1	...	1	1	1	1	...	11	12
5. " Urinary Organs—Nephritis, &c.	1	...	1	1	1	2
6. " Organs of Generation—Ovarian Dropsy, &c.	1	1
7. " Joints—Arthritis, &c.	1
8. " Integumentary System—Phlegmon, &c. ...	1	1	1	3	...
TOTAL ...	9	4	3	5	6	5	7	4	4	3	4	5	5	2	7	6	3	4	8	2	2	3	12	2	70	45
IV.—Developmental Diseases.																										
1. Diseases of Children—Cyanosis, &c. ...	2	2	2	1	2	4	4	...	1	...	1	2	1	2	...	5	...	1	14	16
2. " Adults—Parmenia, &c.	1	1	1	1	...	1	3
3. " Old People—Old Age, &c.	1	1	1	1	1	...	1	...	1	...	1	1	1	...	5
4. " Nutrition—Atrophy, &c. ...	3	4	3	2	8	4	3	5	5	...	4	3	2	1	3	...	1	...	3	2	4	...	5	...	44	21
TOTAL ...	5	7	5	3	11	9	8	5	6	1	5	4	3	3	6	...	2	...	4	5	4	5	6	3	65	45
V.—Violence.																										
1. Accident or Negligence—Fractures, &c. ...	2	...	3	...	2	...	2	...	2	...	4	...	2	...	3	...	1	...	2	1	5	...	2	2	30	3
2. Wounds in Battle—Gunshot Wounds, &c.
3. Homicide—Murder, &c.
4. Suicide—Poison, &c.
5. Execution—Hanging
TOTAL ...	2	...	3	...	2	...	2	...	2	...	4	...	2	...	3	...	1	...	2	1	5	...	2	2	30	3
Deaths, cause not ascertained
Unspecified or Ill-defined	1	...	1	1	2	...	2	1	1	...	4	5
TOTALS FROM ALL CAUSES ...	22	18	24	12	66	25	30	21	26	10	18	18	16	10	23	12	14	8	26	13	20	17	31	18	316	182

No. 1 of Table No. 9.

SUMMARY of DEATHS of MALES in MARYBOROUGH, during the Year 1868.

CAUSES OF DEATH.										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.					
I.—Zymotic Diseases.																																				
1.	Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	6	6	4	16	1	...	2	...	1	2	1	3	26				
2.	Enthetic Diseases—Syphilis	1	1	1	1	3				
3.	Dietic Diseases—Privation, Scoury, Delirium Tremens, &c.	1	1	1				
4.	Parasitic Diseases—Thrush, Worms, &c.	1	1	1				
TOTAL										8	6	4	18	1	...	2	...	1	2	1	...	1	4	30		
II.—Constitutional Diseases.																																				
1.	Diathetic Diseases—Gout, Dropsy, Cancer, &c.	3	2	1	1	4				
2.	Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	3	3	1	4				
TOTAL										3	3	2	2	1	8	
III.—Local Diseases.																																				
1.	Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	8	6	1	15	1	1	2	1	3	23				
2.	Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	2	1	1	1	5				
3.	Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	2	2	1	...	2	1	1	7				
4.	Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	...	2	1	4				
5.	Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	2				
6.	Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.				
7.	Joints—Arthritis, Ostitis, Periostitis, &c.				
8.	Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.				
TOTAL										8	8	1	17	1	1	6	4	4	2	...	3	3	41			
IV.—Developmental Diseases.																																				
1.	Diseases of Children—Cyanosis, Teething, &c.	4	4	8	8				
2.	Adults—Paramenia, Childbirth, &c.	1				
3.	Old People—Old Age, &c.	3				
4.	Nutrition—Atrophy, Debility	1	2	3				
TOTAL										5	6	11	1	12		
V.—Violence.																																				
1.	Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	...	3	3	3	2	1	...	1	6	...	1	...	1	1	2	18					
2.	Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds				
3.	Homicide—Murder and Manslaughter				
4.	Suicide—Poison, Drowning, Hanging, &c.	1				
5.	Execution—Hanging				
TOTAL										...	3	3	2	1	...	1	6	...	1	...	1	1	3	19		
Deaths, cause not ascertained										1	1		
Unspecified, or Ill-defined										1	1	1	1	4	
TOTALS FROM ALL CAUSES										24	23	5	52	3	1	3	3	12	10	6	5	4	1	3	...	1	1	11	115

Census Population : Males in Maryborough District, on 2nd March, 1868, 8,548.

No. 3 of Table No. 9.
SUMMARY of DEATHS of MALES and FEMALES in MARYBOROUGH, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages
I.—Zymotic Diseases.																						
1. <i>Miasmatic Diseases</i> —Scarlatina, Diphtheria, Dysentery, Fevers, &c....	15	11	7	3	1	37	1	1	3	1	2	3	1	...	1	1	3	54
2. <i>Enthetic Diseases</i> —Syphilis ...	1	1	1	1	3
3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. ...	1	1	1
4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. ...	1	1	1
TOTAL ...	18	11	7	3	1	40	1	1	3	1	2	3	2	...	1	1	4	59
II.—Constitutional Diseases.																						
1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. ...	1	...	1	2	2	1	1	6
2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. ...	3	2	5	1	...	2	8
TOTAL ...	4	2	1	7	1	2	3	1	14
III.—Local Diseases.																						
1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. ...	12	8	2	22	1	2	2	1	3	31
2. <i>Diseases of the Organs of Circulation</i> —Aneurism, Heart Disease, &c.	2	1	1	6
3. <i>Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	2	2	1	...	2	1	...	1	7
4. <i>Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. ...	3	2	...	1	...	6	1	...	2	1	10
5. <i>Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c.	1	...	1	2
6. <i>Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c.	1	1
7. <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c.
8. <i>Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c.
TOTAL ...	15	12	2	1	...	30	1	1	7	4	5	3	...	3	3	57
IV.—Developmental Diseases																						
1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. ...	7	4	11	2	11
2. <i>Adults</i> —Paramenia, Childbirth, &c.	2
3. <i>Old People</i> —Old Age, &c.	1	2
4. <i>Nutrition</i> —Atrophy, Debility ...	4	2	6	6
TOTAL ...	11	6	17	2	1	1	21
V.—Violence.																						
1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	4	4	4	1	...	1	6	...	1	...	1	1	2	21
2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds
3. <i>Homicide</i> —Murder and Manslaughter
4. <i>Suicide</i> —Poison, Drowning, Hanging, &c.	1	1
5. <i>Execution</i> —Hanging
TOTAL	4	4	4	1	...	1	6	...	1	...	1	1	3	22
Deaths, cause not ascertained	1	1
Unspecified or Ill-defined	1	1	1	1	4
TOTALS FROM ALL CAUSES ...	48	35	10	4	1	98	5	2	4	7	13	13	7	6	5	2	4	...	1	...	11	178

Census Population : In the Maryborough District, on the 2nd March, 1868, 11,398 Persons.

No. 1 of Table No. 10.

SUMMARY OF DEATHS OF MALES in ROCKHAMPTON, during the Year 1868.

CAUSES OF DEATH.										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.	
I.—Zymotic Diseases.																																
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c....	18	3	1	2	1	25	2	2	2	3	2	1	2	
2. Enthetic Diseases—Syphilis	2	2	2	
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	
4. Parasitic Diseases—Thrush, Worms, &c.	
TOTAL	20	3	1	2	1	27	2	2	2	3	2	1	39	
II.—Constitutional Diseases.																																
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	1	1	2	2	...	1	
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	1	2	1	...	1	1	2	2	...	1	1	
TOTAL	1	...	1	2	1	...	1	1	2	2	...	1	1	11	
III.—Local Diseases.																																
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	7	...	2	9	1	1	...	1	
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	1	...	1	1	3	1	1	
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	4	1	5	
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	...	1	2	1	2	1	1	
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.	
7. Joints—Arthritis, Ostitis, Periostitis, &c.	
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	
TOTAL	12	1	3	1	...	17	...	1	...	3	1	2	9	3	...	2	2	...	2	42	
IV.—Developmental Diseases.																																
1. Diseases of Children—Cyanosis, Teething, &c.	6	6	
2. Adults—Paramenia, Childbirth, &c.	
3. Old People—Old Age, &c.	
4. Nutrition—Atrophy, Debility	4	4	
TOTAL	10	10	2	12	
V.—Violence.																																
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	2	3	4	1	...	3	2	
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds	
3. Homicide—Murder and Manslaughter	
4. Suicide—Poison, Drowning, Hanging, &c.	1	
5. Execution—Hanging	
TOTAL	1	1	2	3	4	2	...	3	2	1	
Deaths, cause not ascertained	
Unspecified or ill-defined	3	3	1	...	2	...	1	1	...	1	1	
TOTALS FROM ALL CAUSES	47	5	5	3	1	61	3	1	1	3	9	7	15	11	5	4	3	3	3	2	

No. 2 of Table No. 10.

SUMMARY of DEATHS of FEMALES in ROCKHAMPTON, during the Year 1868.

CAUSES OF DEATH.													Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.				
I.—Zymotic Diseases.																																						
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...													10	5	4	1	1	21	1	2	24		
2. Enthetic Diseases—Syphilis		
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.		
4. Parasitic Diseases—Thrush, Worms, &c.		
TOTAL ...													10	5	4	1	1	21	1	2	24
II.—Constitutional Diseases.																																						
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	2	2			
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c....													...	1	1	...	1	1	2	2	...	1	8	
TOTAL	1	1	...	1	1	2	2	...	1	2	10	
III.—Local Diseases.																																						
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. ...													5	2	7	3	10			
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	1	1	...	1	1	1	6		
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	1	2		
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	1	1	...	1	3		
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1		
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.		
7. " Joints—Arthritis, Ostitis, Periostitis, &c.			
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.			
TOTAL ...													6	3	9	1	2	2	4	1	1	1	1	22	
IV.—Developmental Diseases.																																						
1. Diseases of Children—Cyanosis, Teething, &c. ...													7	7	7		
2. " Adults—Paramenia, Childbirth, &c.	1	1		
3. " Old People—Old Age, &c.	1	1	
4. " Nutrition—Atrophy, Debility ...													11	11	11	
TOTAL ...													18	18	1	1	20	
V.—Violence.																																						
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	...	1	1	2			
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds			
3. Homicide—Murder and Manslaughter			
4. Suicide—Poison, Drowning, Hanging, &c.	1			
5. Execution—Hanging			
TOTAL	1	...	1	1	...	1	3	
Deaths, cause not ascertained ...													1	1	1		
Unspecified, or Ill-defined ...													2	2	2		
TOTALS FROM ALL CAUSES ...													37	9	4	2	1	53	1	1	1	6	5	5	2	5	2	1	82	

Census Population : Females in Rockhampton District, on 2nd March 1863, 3,620.

No. 3 of Table No. 10.

SUMMARY of DEATHS of MALES and FEMALES in ROCKHAMPTON, during the Year 1868.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																							
1.	Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.	28	8	5	3	2	46	1	2	2	2	5	2	1	61
2.	Enthetic Diseases—Syphilis ...	2	2	2
3.	Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.
4.	Parasitic Diseases—Thrush, Worms, &c.
TOTAL ...		30	8	5	3	2	48	1	2	2	2	5	2	1	63
II.—Constitutional Diseases.																							
1.	Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	2	...	1	4
2.	Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	1	1	2	...	1	2	2	3	1	3	2	...	1	1	17
TOTAL ...		1	1	1	3	...	1	2	2	3	1	3	4	...	1	1	21
III.—Local Diseases.																							
1.	Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	12	2	2	16	1	3	...	1	...	1	22
2.	Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	1	...	1	...	1	...	2	1	2	...	2	...	1	1	1	2	16
3.	Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	4	2	6	1	1	4	1	13
4.	Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	2	...	1	3	1	1	1	3	1	1	...	1	12
5.	Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1
6.	Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.
7.	Joints—Arthritis, Ostitis, Periostitis, &c.
8.	Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL ...		18	4	3	1	...	26	1	1	...	5	3	6	10	4	...	2	2	1	3	64
IV.—Developmental Diseases.																							
1.	Diseases of Children—Cyanosis, Teething, &c.	13	13	1	13
2.	Adults—Paramenia, Childbirth, &c.	1
3.	Old People—Old Age, &c.	3	3
4.	Nutrition—Atrophy, Debility ...	15	15	15
TOTAL ...		23	23	1	3	32
V.—Violence.																							
1.	Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	...	1	...	3	3	4	2	...	3	2	1	18
2.	Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3.	Homicide—Murder and Manslaughter
4.	Suicide—Poison, Drowning, Hanging, &c.	1	1
5.	Execution—Hanging	1	1
TOTAL ...		1	1	...	1	...	3	3	1	4	3	...	3	2	1	20
Deaths, cause not ascertained ...		1	1	1
Unspecified, or Ill-defined ...		5	5	1	...	2	...	1	1	...	1	1	12
TOTALS FROM ALL CAUSES ...		84	14	9	5	2	114	4	2	2	9	14	12	17	16	5	4	3	5	4	...	2	213

Census Population : In the Rockhampton District, on 2nd March, 1868, 9,065 Persons.

No. 1 of Table No. 11.

SUMMARY of DEATHS of MALES in BOWEN, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	2	2	1	1	1	1	1	7
2. Enthetic Diseases	1	1	1
3. Dietic Diseases
4. Parasitic Diseases
TOTAL	2	1	3	2	1	1	1	1	9
II.—Constitutional Diseases.																						
1. Diathetic Diseases	3	4	2	9
2. Tubercular Diseases	3	4	2	9
TOTAL	3	4	2	9
III.—Local Diseases.																						
1. Diseases of the Nervous System	2	2	1	1	1	1	4
2. Diseases of the Organs of Circulation	1	2	2	9
3. Diseases of the Respiratory System	1	1	1	2	2	...	1	1	12
4. Diseases of the Digestive Organs	1
TOTAL	3	3	1	2	3	1	2	...	1	4	17
IV.—Developmental Diseases.																						
1. Diseases of Children	1	1	1
2. Diseases of Old People	1	1
4. Diseases of Nutrition
TOTAL	1	1	1	2
V.—Violence.																						
1. Accident or Negligence	1	1	1	1	1	1	1	3
3. Homicide	1	5
4. Suicide
TOTAL	1	1	...	1	1	1	2	1	1	8
Sudden Deaths, cause not ascertained	1	...	1	...	1	1	5
Unspecified or Ill-defined	1	1	1
TOTALS FROM ALL CAUSES	7	2	9	...	1	3	6	9	5	6	1	2	1	...	1	6	50

Census Population: Males in Bowen District, on 2nd March 1868, 1,390.

No. 2 of Table No. 11.

SUMMARY OF DEATHS OF FEMALES IN BOWEN, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	1	1	...	2	3
3. Dietic Diseases...
4. Parasitic Diseases
TOTAL	1	1	...	2	2
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	1
2. Tubercular Diseases
TOTAL	1	1
III.—Local Diseases.																						
1. Diseases of the Nervous System
3. Respiratory System	1	1	1
4. Diseases of the Digestive Organs	1	1	1	2
TOTAL	2	2	1	3
IV.—Developmental Diseases.																						
1. Diseases of Children
2. Diseases of Adults
3. Diseases of Old People	1	1
TOTAL	1	1	2
V.—Violence.																						
1. Accident or Negligence	3	3	3
3. Homicide
4. Suicide
TOTAL	3	3	3
Unspecified or Ill-defined	1	1
TOTALS FROM ALL CAUSES	2	3	1	1	...	7	2	1	1	1	12

Census Population : Females in Bowen District, on 2nd March, 1868, 781

No. 3 of Table No. 11.

SUMMARY of DEATHS of MALES and FEMALES in BOWEN, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	2	...	1	1	...	4	1	1	1	1	1	9
2. Enthalic Diseases	1	2
3. Diotic Diseases...	1	1	1
4. Parasitic Diseases
TOTAL	2	...	1	1	1	5	2	1	1	1	1	11
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	1
2. Tubercular Diseases	3	4	2	9
TOTAL	3	4	2	1	10
III.—Local Diseases.																						
1. Diseases of the Nervous System	2	2	1	1	1	4
2. Diseases of the Organs of Circulation	1	1	2
3. Diseases of the Respiratory System	2	2	1	2	2	...	1	2	10
4. Diseases of the Digestive Organs	1	1	2	1	4
TOTAL	5	5	1	2	3	1	3	...	1	4	20
IV.—Developmental Diseases.																						
1. Diseases of Children	1	1	1	1
2. Diseases of Adults	1
3. Diseases of Old People	1	1
4. Diseases of Nutrition	1	1
TOTAL	1	1	2	1	4
V.—Violence.																						
1. Accident or Negligence	3	1	4	1	1	1	1	1	6
3. Homicide	1	5
4. Suicide
TOTAL	3	1	4	...	1	1	1	2	1	1	11
Deaths, cause not ascertained
Unspecified or ill-defined	1	1	1	1	1	...	1	1	6
TOTALS FROM ALL CAUSES	9	3	1	1	2	16	...	1	3	6	9	7	7	1	2	2	1	1	6	62

Census Population : In Bowen District, on 2nd March, 1868, 2,171 persons.

No. 1 of Table No. 12.

SUMMARY of DEATHS of MALES in TOWNSVILLE during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases																						
1. Miasmatic Diseases	1	1	1	2	1	...	3	1	9
2. Euthetic Diseases	1	1	2
3. Dietic Diseases
4. Parasitic Diseases
TOTAL	1	1	1	3	2	...	3	1	11
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	1	1	1	1	1	2
2. Tubercular Diseases	4
TOTAL	1	1	1	1	1	1	6
III.—Local Diseases.																						
1. Diseases of the Nervous System
2. Diseases of the Organs of Circulation
3. Diseases of the Respiratory System
4. Diseases of the Digestive Organs
TOTAL
IV.—Developmental Diseases.																						
1. Diseases of Children ...	2	2	2
3. Diseases of Old People	1	1
4. Diseases of Nutrition	1	1	1
TOTAL ...	2	1	3	1	4
V.—Violence.																						
1. Accident or Negligence	1	1	...	1	2	1	6
3. Homicide
4. Suicide
TOTAL	1	1	...	1	2	1	6
Sudden Deaths, cause not ascertained	1	1	1	...	1	4
Unspecified or Ill-defined
TOTALS FROM ALL CAUSES ...	2	4	1	2	5	4	2	4	4	...	3	31

Census Population : Males in Townsville District, on 2nd March, 1868, 553.

No. 2 of Table No. 12.

SUMMARY OF DEATHS OF FEMALES IN TOWNSVILLE, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	1	1	1	2
3. Dietic Diseases
4. Parasitic Diseases
TOTAL	1	1	1	2
II.—Constitutional Diseases.																						
1. Diathetic Diseases
2. Tubercular Diseases
TOTAL
III.—Local Diseases.																						
1. Diseases of the Nervous System ...	2	1	3	3
2. Diseases of the Organs of Circulation
4. Diseases of the Digestive Organs
TOTAL ...	2	1	3	3
IV.—Developmental Diseases.																						
1. Diseases of Children
2. Diseases of Adults	1	1
TOTAL	1	1
V.—Violence.																						
1. Accident or Negligence	1	1
3. Homicide
4. Suicide
TOTAL	1	1
Unspecified ...	2	2	2
TOTALS FROM ALL CAUSES ...	4	2	6	1	...	1	1	9

Census Population: Females in Townsville District, on 2nd March, 1868, 207.

No. 3 of Table No. 12.

SUMMARY of DEATHS of MALES and FEMALES in TOWNSVILLE, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	2	2	1	1	2	1	...	3	1	11
2. Enthetic Diseases	1	1	2
3. Dietic Diseases
4. Parasitic Diseases
TOTAL	2	2	1	1	3	2	...	3	1	13
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	1	1	1	1	1	2
2. Tubercular Diseases	1	1	1	1	4
TOTAL	1	1	1	1	1	1	1	6
III.—Local Diseases.																						
1. Diseases of the Nervous System ...	2	1	3	3
2. Diseases of the Organs of Circulation
3. Diseases of the Respiratory System
4. Diseases of the Digestive Organs
TOTAL ...	2	1	3	3
IV.—Developmental Diseases.																						
1. Diseases of Children ...	2	2	1	2
2. Diseases of Adults	1
3. Diseases of Old People	1	1	1	1
4. Diseases of Nutrition
TOTAL ...	2	1	3	1	1	5
V.—Violence.																						
1. Accident or Negligence	1	1	1	1	2	1	7
2. Homicide
3. Suicide
TOTAL	1	1	1	1	2	1	7
Deaths, cause not ascertained...	2	2	1	1	1	...	1	6
Unspecified or ill-defined
TOTALS FROM ALL CAUSES ...	6	4	10	2	2	6	4	2	5	4	2	3	40

Census Population In Townsville District, on 2nd March, 1868, 760 persons.

No. 1 of Table No. 13.
SUMMARY of DEATHS of MALES in IPSWICH, during the Year 1868.

CAUSES OF DEATH										Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.							
I.—Zymotic Diseases.																																						
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c.										14	11	6	1	...	32	1	1	34				
2. Enthetic Diseases—Syphilis													
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.												
4. Parasitic Diseases—Thrush, Worms, &c.											
TOTAL										14	11	6	1	...	32	1	1	34		
II.—Constitutional Diseases.																																						
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.										1	1	1	...	1	2			
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.										1	...	1	...	1	1	4		
TOTAL										1	1	1	...	2	...	1	1	6		
III.—Local Diseases.																																						
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.										13	1	1	1	...	16	1	1	1	1	19			
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.										1	1	4			
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.										...	1	1	2	1	1	3			
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.										1	1	1	2		
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.										1	1	1	
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.										
7. Joints—Arthritis, Ostitis, Periostitis, &c.										1	1	
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.									
TOTAL										14	2	2	1	1	20	2	1	1	2	...	1	1	...	1	1	...	1	...	1	...	1	30	
IV.—Developmental Diseases.																																						
1. Diseases of Children—Cyanosis, Teething, &c.										4	1	5	5		
2. Adults—Paranoia, Childbirth, &c.											
3. Old People—Old Age, &c.											
4. Nutrition—Atrophy, Debility										2	2	1	3	
TOTAL										6	1	7	1	1	...	9	
V.—Violence.																																						
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.										...	3	3	2	1	2	2	2	1	1	1	15			
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds												
3. Homicide—Murder and Manslaughter											
4. Suicide—Poison, Drowning, Hanging, &c.										
5. Execution—Hanging										
TOTAL										...	3	3	2	1	2	2	2	1	1	1	15	
Deaths, cause not ascertained												
Unspecified or ill-defined										1	1	1			
TOTALS FROM ALL CAUSES										35	17	9	2	1	64	5	1	...	2	3	5	4	2	1	2	1	1	1	1	1	1	1	1	1	1	95		

Census Population : Males in Ipswich District, on the 2nd March, 1868, 6,082.

No. 2 of Table No. 13.

SUMMARY of DEATHS of FEMALES in IPSWICH, during the Year 1868.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																							
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c....	...	12	7	...	4	...	23	1	2	1	27
2. Enthetic Diseases—Syphilis
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.
4. Parasitic Diseases—Thrush, Worms, &c.
TOTAL	12	7	...	4	...	23	1	2	1	27
II.—Constitutional Diseases.																							
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c.	1	1	3
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	1	1	1	4
TOTAL	1	1	1
III.—Local Diseases.																							
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c.	13	1	14	1	15
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	1	1	1	3
3. " Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	1	1	1	1	3
4. " Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c.	1	3
5. " Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1
6. " Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.
7. " Joints—Arthritis, Ostitis, Periostitis, &c.
8. " Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.
TOTAL	13	2	15	...	2	1	2	2	1	23
IV.—Developmental Diseases.																							
1. Diseases of Children—Cyanosis, Teething, &c.	2	1	3	3
2. " Adults—Paramenia, Childbirth, &c.
3. " Old People—Old Age, &c.	1
4. " Nutrition—Atrophy, Debility	6	6	6
TOTAL	6	2	1	9	1	10
V.—Violence.																							
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	1	1	1	1	1	1	5
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds
3. Homicide—Murder and Manslaughter
4. Suicide—Poison, Drowning, Hanging, &c.	1	1
5. Execution—Hanging
TOTAL	1	1	1	1	1	1	...	1	6
Deaths, cause not ascertained
Unspecified or ill-defined	1	1
TOTALS FROM ALL CAUSES	31	12	1	4	...	48	2	3	3	4	1	3	2	1	...	2	1	...	1	71

No. 3 of Table No. 13.

SUMMARY of DEATHS of MALES and FEMALES in IPSWICH, during the Year 1868.

CAUSES OF DEATH.															Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.					
I.—Zymotic Diseases.																																									
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. ...															26	18	6	5	...	55	1	1	2	1	1	61		
2. Enthetic Diseases—Syphilis		
3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.		
4. Parasitic Diseases—Thrush, Worms, &c.		
TOTAL ...															26	18	6	5	...	55	1	1	2	1	1	61
II.—Constitutional Diseases.																																									
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c. ...															1	1	1	1	3	
2. Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	1	...	2	1	2	1	7	
TOTAL ...															1	1	1	...	3	1	2	1	1	10	
III.—Local Diseases.																																									
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. ...															26	2	1	1	...	30	1	1	...	1	...	1	1	34	
2. Diseases of the Organs of Circulation—Aneurism, Heart Disease, &c.	1	1	2	1	2	7		
3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	2	1	3	1	1	1	6		
4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. ...															1	1	2	3		
5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c.	1	1	...	1	2	2		
6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c.		
7. Joints—Arthritis, Ostitis, Periostitis, &c.	1	1		
8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.		
TOTAL ...															27	4	2	1	1	35	2	2	2	3	2	...	3	1	...	2	1	53	
IV.—Developmental Diseases.																																									
1. Diseases of Children—Cyanosis, Teething, &c. ...															4	3	1	8	8	
2. Adults—Paramenia, Childbirth, &c.		
3. Old People—Old Age, &c.	1	...	1	...	2	
4. Nutrition—Atrophy, Debility ...															8	8	1	9	
TOTAL ...															12	3	1	16	1	1	...	1	19	
V.—Violence.																																									
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	4	4	3	2	2	3	2	1	...	1	...	1	1	20		
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds		
3. Homicide—Murder and Manslaughter		
4. Suicide—Poison, Drowning, Hanging, &c.	1		
5. Execution—Hanging		
TOTAL	4	4	3	2	2	3	2	1	...	2	...	1	1	21	
Deaths, cause not ascertained		
Unspecified or Ill-defined	1	1	1	2		
TOTALS FROM ALL CAUSES ...															66	29	10	6	1	112	7	4	...	2	6	9	5	5	3	3	1	3	2	1	2	1	166	

Census Population: In the Ipswich District, on 2nd March, 1868, 11,911 persons.

No. 1 of Table No. 14.

SUMMARY of DEATHS of MALES in DRAYTON and TOOWOOMBA, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	6	8	4	3	...	21	2	2	1	26
2. Enthetic Diseases
3. Dietic Diseases
4. Parasitic Diseases
TOTAL	6	8	4	3	...	21	2	2	1	26
II.—Constitutional Diseases.																						
1. Diathetic Diseases
2. Tubercular Diseases	1	1	...	1	...	3	3	1	2	...	1	1	...	3
TOTAL	1	1	...	1	...	3	3	2	2	...	4	1	...	17
III.—Local Diseases.																						
1. Diseases of the Nervous System	4	1	5	5
2. Diseases of the Organs of Circulation
3. Diseases of the Respiratory System	1	...	2	3	...	1	1	2	1	3
4. Diseases of the Digestive Organs	1	...	1	2	1	1	1	...	1	2	...	1	11
TOTAL	6	1	3	10	...	1	1	3	2	1	...	1	4	1	1	25
IV.—Developmental Diseases.																						
1. Diseases of Children	3	4	7	7
3. Diseases of Old People	3
4. Diseases of Nutrition	4	1	5	1	2	5
TOTAL	7	5	12	1	2	15
V.—Violence.																						
1. Accident or Negligence	1	...	1	2	...	1	1	1	5
3. Homicide
4. Suicide
TOTAL	1	...	1	2	...	1	1	1	5
Deaths, cause not ascertained
Unspecified or ill-defined
TOTALS FROM ALL CAUSES	21	15	8	4	...	43	2	2	...	3	4	7	4	5	1	2	4	2	3	1	...	88

Census Population: Males in Drayton and Toowoomba District, on 2nd March, 1868, 4,049.

No. 2 of Table No. 14.

SUMMARY of DEATHS of FEMALES in DRAYTON and TOOWOOMBA, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases ...	6	5	3	7	3	24	1	...	1	...	1	2	29
3. Dietic Diseases	1
4. Parasitic Diseases	1	1
TOTAL ...	6	5	4	7	3	25	1	...	1	...	1	2	30
II.—Constitutional Diseases.																						
1. Diathetic Diseases	2	2	...	1	5
2. Tubercular Diseases ...	1	...	2	1	...	4	4
TOTAL ...	1	...	2	1	...	4	2	2	...	1	9
III.—Local Diseases.																						
1. Diseases of the Nervous System ...	9	1	10	...	1	...	1	12
2. Diseases of the Organs of Circulation	1	1
3. Diseases of the Respiratory System ...	1	1	2	...	1	1	5
4. Diseases of the Digestive Organs ...	3	...	1	4	1	5
5. Diseases of the Urinary Organs	1	1
TOTAL ...	13	...	1	...	1	15	...	1	1	1	2	1	1	1	1	24
IV.—Developmental Diseases.																						
1. Diseases of Children ...	5	7	1	13	1	13
2. Diseases of Adults	1
3. Diseases of Old People	1
4. Diseases of Nutrition ...	12	1	1	14	1
TOTAL ...	17	8	2	27	1	1	29
V.—Violence.																						
1. Accident or Negligence	1	1	2	1	3
3. Homicide
4. Suicide
TOTAL	1	1	2	1	3
Deaths, cause not ascertained
Unspecified or ill-defined
TOTALS FROM ALL CAUSES ...	37	13	9	9	5	73	...	1	2	1	3	3	6	3	1	1	1	95

Census Population: Females in Drayton and Toowoomba Districts, on 2nd March, 1868, 3,546.

No. 3 of Table No. 14.

SUMMARY OF DEATHS OF MALES and FEMALES in DRAYTON and TOOWOOMBA, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	"	Total of all ages.
I.—Zymotic Diseases.																							
1. Miasmatic Diseases	12	13	7	10	3	45	2	...	1	...	1	2	1	2	1	55
2. Enthetic Diseases
3. Dietic Diseases	1	1	1
4. Parasitic Diseases
TOTAL	12	13	8	10	3	46	2	...	1	...	1	2	1	2	1	56
II.—Constitutional Diseases.																							
1. Diathetic Diseases	1	2	2	1	1	1	8
2. Tubercular Diseases	2	1	2	2	...	7	3	1	2	2	3	18
TOTAL	2	1	2	2	...	7	3	2	4	4	4	1	1	26
III.—Local Diseases.																							
1. Diseases of the Nervous System	13	1	1	15	...	1	...	1	...	2	17
2. Diseases of the Organs of Circulation	1	4
3. Diseases of the Respiratory System	2	...	2	4	...	1	3	1	2	1	1	2	1	16
4. Diseases of the Digestive Organs	4	...	2	6	1	1	1	2	11
5. Diseases of the Urinary Organs	1	1
TOTAL	19	1	4	...	1	25	...	2	1	1	3	4	3	2	...	1	4	2	1	49
IV.—Developmental Diseases.																							
1. Diseases of Children	8	11	1	20	1	20
2. Diseases of Adults	1
3. Diseases of Old People	1	2	...	1	...	4
4. Diseases of Nutrition	16	2	1	19	19
TOTAL	24	13	2	39	1	1	2	...	1	...	44
V.—Violence.																							
1. Accident or Negligence	1	...	1	1	1	4	...	1	1	...	1	1	8
3. Homicide
4. Suicide
TOTAL	1	...	1	1	1	4	...	1	1	...	1	1	8
Deaths, cause not ascertained...
Unspecified or Ill-defined
TOTALS FROM ALL CAUSES	58	28	17	13	5	121	2	3	2	4	7	10	10	8	2	2	4	3	3	1	1	...	183

Census Population: In Drayton and Toowoomba District, on 2nd March, 1868, 7,595 persons.

No. 1 of Table No. 15.

SUMMARY of DEATHS of MALES in WARWICK, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases																						
1. Miasmatic Diseases ...	4	2	1	7	...	1	8
2. Euthetic Diseases
3. Dietic Diseases
4. Parasitic Diseases
TOTAL ...	4	2	1	7	...	1	8
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	...	1	1	2	...	1	...	5
2. Tubercular Diseases ...	1	1	2	1	1	4
TOTAL ...	1	1	...	1	...	3	1	...	1	3	...	1	9
III.—Local Diseases.																						
1. Diseases of the Nervous System	1	1	1	...	1	4
2. Diseases of the Respiratory System	1	1	1	...	2
3. Diseases of the Digestive Organs	1	1	1	1
4. Diseases of the Urinary Organs	1	1
TOTAL	2	2	1	...	1	1	1	...	2	8
IV.—Developmental Diseases.																						
1. Diseases of Children ...	2	1	3	3
2. Diseases of Old People	1	1	2
3. Diseases of Nutrition ...	4	4	4
TOTAL ...	6	1	7	1	1	...	9
V.—Violence.																						
1. Accident or Negligence	1	2	1	1	...	5
2. Homicide
3. Suicide
TOTAL	1	2	1	1	...	5
Deaths, cause not ascertained
Unspecified or Ill-defined ...	2	2	...	1	1	...	1	...	5
TOTALS FROM ALL CAUSES ...	13	6	...	1	1	21	...	3	4	...	2	2	...	5	1	3	3	41

Census Population: Males in Warwick District, on 2nd March, 1868, 2,264.

No. 2 of Table No. 15.

SUMMARY of DEATHS of FEMALES in WARWICK, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	1	2	...	1	...	4	4
3. Dietic Diseases...
4. Parasitic Diseases
TOTAL	1	2	...	1	...	4	4
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	1	1	1	3
2. Tubercular Diseases	1	1	1
TOTAL	2	2	1	1	4
III.—Local Diseases.																						
1. Diseases of the Nervous System	3	3	1	4
2. Diseases of the Organs of Circulation	1
3. Diseases of the Respiratory System	1	1	1
4. Diseases of the Digestive Organs	1	...	1	1	2
TOTAL	4	1	...	5	1	2	8
IV.—Constitutional Diseases.																						
2. Diseases of Adults	1	1
4. Diseases of Nutrition... ..	4	4	4
TOTAL	4	4	1	5
V.—Violence.																						
1. Accident or Negligence	1	...	1	1	2
3. Homicide
4. Suicide
TOTAL	1	...	1	1	2
Unspecified	1	1	2	...	1	3
TOTALS FROM ALL CAUSES	12	2	...	3	1	18	...	1	1	2	1	1	...	2	26

Census Population: Females in Warwick District, on 2nd March, 1868, 1,828.

No. 3 of Table No. 15.

SUMMARY of DEATHS of MALES and FEMALES in WARWICK, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases ...	5	4	...	1	1	11	...	1	12
2. Enthetic Diseases
3. Dietic Diseases
4. Parasitic Diseases
TOTAL ...	5	4	...	1	1	11	...	1	12
II.—Constitutional Diseases.																						
1. Diathetic Diseases ...	1	1	...	2	1	1	1	...	2	...	1	...	8
2. Tubercular Diseases ...	2	1	3	1	5
TOTAL ...	3	1	...	1	...	5	1	1	1	1	...	3	...	1	...	13
III.—Local Diseases.																						
1. Diseases of the Nervous System ...	3	3	1	1	...	1	1	...	1	8
2. Diseases of the Organs of Circulation	1	1
3. Diseases of the Respiratory System ...	1	1	2	3
4. Diseases of the Digestive Organs	1	...	1	...	2	1	3
5. Diseases of the Urinary Organs	1	1
TOTAL ...	4	2	...	1	...	7	1	...	2	1	...	2	1	...	2	16
IV.—Developmental Diseases.																						
1. Diseases of Children ...	2	1	3	3
2. Diseases of Adults	1
3. Diseases of Old People	1	2
4. Diseases of Nutrition ...	8	8	8
TOTAL ...	10	1	11	1	1	1	14
V.—Violence.																						
1. Accident or Negligence	1	...	1	...	1	1	...	2	1	1	...	7
3. Homicide
4. Suicide
TOTAL	1	...	1	...	1	1	...	2	1	1	...	7
Deaths, cause not ascertained
Unspecified or Ill-defined ...	3	1	4	...	2	1	...	1	...	8
TOTALS FROM ALL CAUSES ...	25	8	...	4	2	39	...	4	1	...	4	2	3	3	...	7	1	3	3	70

Census Population : In Warwick District, on 2nd March, 1868, 4,092 persons.

No. 1 of Table No. 16.

SUMMARY of DEATHS of MALES in ROMA, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	2	1	3	2	1	1	7
2. Enthetic Diseases	1	1	2
3. Dietic Diseases	1
4. Parasitic Diseases	1	1	1
TOTAL	3	1	4	3	1	...	1	1	10
II.—Constitutional Diseases.																						
1. Diathetic Diseases	2
2. Tubercular Diseases	1	1	1	2
TOTAL	1	1	1	2
III.—Local Diseases.																						
1. Diseases of the Nervous System	4	1	5	1	1	7
2. Diseases of the Organs of Circulation	1	1	2
3. Diseases of the Respiratory System	1	...	1	1	1
4. Diseases of the Digestive Organs	1	1	1
TOTAL	5	1	...	1	...	7	1	2	...	1	1	12
IV.—Developmental Diseases.																						
1. Diseases of Children	1
3. Diseases of Old People	1	1
4. Diseases of Nutrition	1
TOTAL	1	1
V.—Violence.																						
1. Accident or Negligence	1	1	2	1	1	5
3. Homicide
4. Suicide
TOTAL	1	1	2	1	1	5
Deaths, cause not ascertained	1	1
Unspecified or ill-defined	1
TOTALS FROM ALL CAUSES	8	4	...	1	...	13	3	6	1	1	...	2	1	2	2	31

Census Population: Males in Roma District, on 2nd March 1868, 1,274.

No. 2 of Table No. 16.

SUMMARY of DEATHS of FEMALES in ROMA, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases ...	1	1	1	3	1	1	...	1	6
3. Dietic Diseases
4. Parasitic Diseases	1	1	1
TOTAL ...	1	2	1	4	1	1	...	1	7
II.—Constitutional Diseases.																						
1. Diathetic Diseases
2. Tubercular Diseases
TOTAL
III.—Local Diseases.																						
1. Diseases of the Nervous System ...	3	3	3
2. Diseases of the Organs of Circulation
4. Diseases of the Digestive Organs	1	1
TOTAL ...	3	3	1	4
IV.—Developmental Diseases.																						
1. Diseases of Children
3. Diseases of Old People	1	1
TOTAL	1	1
V.—Violence.																						
1. Accident or Negligence	1	1	1	...	1	3
3. Homicide
4. Suicide
TOTAL	1	1	1	...	1	3
Unspecified	1	1
TOTALS FROM ALL CAUSES ...	4	2	2	8	2	...	1	...	1	2	...	1	1	16

Census Population : Females in Roma District, on 2nd March, 1868, 442.

No 3 of Table No. 16.

SUMMARY of DEATHS of MALES and FEMALES in ROMA, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	3	2	1	6	3	1	...	1	1	1	13
2. Enthetic Diseases	1	1
3. Dietic Diseases	1
4. Parasitic Diseases	1
TOTAL	4	3	1	8	4	1	...	1	1	...	1	1	17
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1
2. Tubercular Diseases	1	1	1
TOTAL	1	1	1
III.—Local Diseases.																						
1. Diseases of the Nervous System	7	1	8	1	1	10
2. Diseases of the Organs of Circulation	1	1
3. Diseases of the Respiratory System	1	...	1	1
4. Diseases of the Digestive Organs	1	1	1
TOTAL	8	1	...	1	...	10	2	2	...	1	1	16
IV.—Developmental Diseases.																						
1. Diseases of Children
2. Diseases of Adults
3. Diseases of Old People
4. Diseases of Nutrition
TOTAL
V.—Violence.																						
1. Accident or Negligence	1	1	2	3	...	1	...	1	1
3. Homicide
4. Suicide
TOTAL	1	1	2	3	...	1	...	1	1	8
Deaths, cause not ascertained...	1	1
Unspecified or ill-defined
TOTALS FROM ALL CAUSES	12	6	2	1	...	21	5	...	1	...	7	3	1	1	2	1	2	3	47

Census Population: In Roma, on 2nd March, 1868, 1,716 persons.

No. 1 of Table No. 17.

SUMMARY of DEATHS of MALES in CLERMONT, during the Year 1863.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases ...	1	...	3	4	1	1	2	1	1	10
2. Enthetic Diseases
3. Dietic Diseases	1	1
4. Parasitic Diseases
TOTAL ...	1	...	3	4	1	1	2	1	2	11
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	1
2. Tubercular Diseases	5	7
TOTAL	1	1	5	7
III.—Local Diseases.																						
1. Diseases of the Nervous System
2. Diseases of the Organs of Circulation	1	2
3. Diseases of the Respiratory System	1	1	1	...	1	3
4. Diseases of the Digestive Organs	2	...	1	2
TOTAL	1	1	2	1	1	1	1	7
IV.—Developmental Diseases.																						
1. Diseases of Children ...	1	1	1
3. Diseases of Old People	1	1
4. Diseases of Nutrition
TOTAL ...	1	1	1	2
V.—Violence.																						
1. Accident or Negligence	1	1	1	1	1	2	1	7
3. Homicide	1	1	1
4. Suicide	1	1
TOTAL	1	1	1	1	1	2	3	9
Sudden Deaths, cause not ascertained
Unspecified or ill-defined ...	2	2	1	1	2	1	7
TOTALS FROM ALL CAUSES ...	4	1	3	...	1	9	1	...	1	1	4	6	5	2	2	1	11	43

Census Population: Males in Clermont District, on 2nd March, 1863, 1,771.

No. 2 of Table No. 17.

SUMMARY OF DEATHS OF FEMALES in CLERMONT, during the Year 1868

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	1	...	1	...	1	3	1	4
3. Dietic Diseases
4. Parasitic Diseases
TOTAL	1	...	1	...	1	3	1	4
II.—Constitutional Diseases.																						
1. Diathetic Diseases
2. Tubercular Diseases
TOTAL
III.—Local Diseases.																						
1. Diseases of the Nervous System
3. Diseases of the Respiratory System	1	1	1
4. Diseases of the Digestive Organs
TOTAL	1	1	1
IV.—Developmental Diseases.																						
1. Diseases of Children
3. Diseases of Adults
4. Diseases of Nutrition	1	1
TOTAL	1	1	2
V.—Violence.																						
1. Accident or Negligence
3. Homicide
4. Suicide
TOTAL
Unspecified
TOTALS FROM ALL CAUSES	1	...	1	...	2	4	1	1	1	7

Census Population : Females in Clermont District, on 2nd March, 1868, 366.

No. 3 of Table No. 17.

SUMMARY of DEATHS of MALES and FEMALES in CLERMONT, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases ...	2	...	4	...	1	7	2	1	2	1	1
2. Enthetic Diseases	1
3. Dietic Diseases
4. Parasitic Diseases
TOTAL ...	2	...	4	...	1	7	2	1	2	1	2
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	5
2. Tubercular Diseases	1	1
TOTAL	1	1	5
III.—Local Diseases.																						
1. Diseases of the Nervous System	1	1
2. Diseases of the Organs of Circulation
3. Diseases of the Respiratory System	1	1	2	2	1	1
4. Diseases of the Digestive Organs
TOTAL	1	1	2	2	1	1	1	1	8
IV.—Developmental Diseases.																						
1. Diseases of Children ...	1	1	1	1
2. Diseases of Adults	1
3. Diseases of Old People
4. Diseases of Nutrition	1	...	1	2
TOTAL ...	1	1	1	...	1	1	4
V.—Violence.																						
1. Accident or Negligence	1	1	1	1	1	2	1
3. Homicide	1
4. Suicide	1
TOTAL	1	1	1	1	1	2	3
Deaths, cause not ascertained...	2	1	1	2
Unspecified or ill-defined ...	2	1
TOTALS FROM ALL CAUSES ...	5	1	4	...	3	13	2	...	1	1	5	7	5	2	2	1	11

Census Population : In Clermont District, on 2nd March, 1868, 2,137 persons.

No. 1 of Table No. 18.

SUMMARY of DEATHS of MALES in all the Districts of QUEENSLAND, except Brisbane, Maryborough, Rockhampton, Bowen, Townsville, Ipswich, Drayton, Warwick, Roma, and Clermont, during the Year 1868.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																							
1. Miasmatic Diseases	...	6	1	7	...	1	...	3	3	2	4	2	2	2	6	32
2. Enthetic Diseases
3. Dietic Diseases	1	1	2	1	...	1	1
4. Parasitic Diseases	...	1	1	1	...	1
TOTAL	...	7	1	8	...	1	...	3	4	3	4	2	4	3	1	1	1	...	9	44
II.—Constitutional Diseases.																							
1. Diathetic Diseases	2	2	...	2	...	1	1	1	1	1	...	1	6
2. Tubercular Diseases	...	1	1	2	2	...	2	2	1	...	1	2	12
TOTAL	...	1	1	2	2	...	2	...	1	3	2	1	1	...	1	...	3	18
III.—Local Diseases.																							
1. Diseases of the Nervous System	...	9	...	1	10	2	2	4	6	2	1	1	1	1	1	31
2. Diseases of the Organs of Circulation	1	2	2	1	7
3. Diseases of the Respiratory System	...	1	1	...	2	1	2	1	...	1	2	3	...	1	...	2	16
4. Diseases of the Digestive Organs	...	1	1	2	1	3	...	1	9
5. Diseases of the Urinary Organs	1	1	1
TOTAL	...	11	...	1	12	...	2	1	4	4	9	9	3	5	3	5	2	1	...	4	64
IV.—Developmental Diseases.																							
1. Diseases of Children	...	4	1	...	5	5
3. Diseases of Old People
4. Diseases of Nutrition	...	6	1	1	8	...	1	2	2	1	1	1	4	...	3	2	11
TOTAL	...	10	1	1	1	...	13	...	1	2	2	1	1	1	4	...	3	2	14
V.—Violence.																							
1. Accident or Negligence	...	1	1	2	1	1	1	3	8	3	5	2	1	1	1	33
3. Homicide	1	1	...	1	1	4	5
4. Suicide	1	...	1	2	4
TOTAL	...	1	1	2	1	1	1	4	9	5	5	3	2	1	1	...	7	42
Deaths, cause not ascertained
Unspecified or ill-defined	...	1	1	1	1	2	4	...	3	1	1	...	21
TOTALS FROM ALL CAUSES	...	31	4	2	1	...	38	1	5	4	11	20	18	23	17	14	12	8	7	5	4	2	219

Census Population: Males in all the Districts of the Colony, except the abovenamed, on 2nd March, 1868, 15,489.

No. 2 of Table No. 18.

SUMMARY OF DEATHS OF FEMALES in all the Districts of QUEENSLAND, except Brisbane, Maryborough, Rockhampton, Bowen, Townsville, Ipswich, Drayton, Warwick, Roma, and Clermont, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	3	3	2	1	...	9	1	1	2	13
3. Dietic Diseases	1	...	1
4. Parasitic Diseases
TOTAL	3	3	2	1	...	9	1	1	...	1	2	1	15
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	1	1	3
2. Tubercular Diseases	1	1	2	2	1	6
TOTAL	1	1	2	2	1	1	1	1	9
III.—Local Diseases.																						
1. Diseases of the Nervous System	8	3	11	1	1	1	1	16
2. Diseases of the Organs of Circulation
3. Diseases of the Respiratory System	1	1	...	2	2
4. Diseases of the Digestive Organs	1	1	1	2
TOTAL	10	3	...	1	...	14	1	1	1	1	1	20
IV.—Developmental Diseases.																						
1. Diseases of Children	3	1	4	1	5
2. Diseases of Adults	2	2
4. Diseases of Nutrition	10	...	1	11	1	12
TOTAL	13	1	1	15	1	1	...	2	19
V.—Violence.																						
1. Accident or Negligence	3	3	1	1	1	6
3. Homicide
4. Suicide
TOTAL	3	3	1	1	1	6
Unspecified	2	2	2
TOTALS FROM ALL CAUSES	29	8	6	2	...	45	3	2	2	4	3	4	1	1	1	1	...	1	2	71

Census Population: Females in all the Districts of the Colony, except the abovenamed, on 2nd March, 1868, 6,252.

No. 3 of Table No. 18.

SUMMARY of DEATHS of MALES and FEMALES in all the Districts of QUEENSLAND, except Brisbane, Maryborough, Rockhampton, Bowen, Townsville, Ipswich, Drayton, Warwick, Roma, and Clermont, during the Year 1868.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Total of all ages.
I.—Zymotic Diseases.																						
1. Miasmatic Diseases	9	4	2	1	...	16	1	2	...	3	5	2	4	2	2	2	6	45
2. Enthetic Diseases	1	1	2	2	1	3	13
3. Dietic Diseases	1	1	1	1
4. Parasitic Diseases	1
TOTAL	10	4	2	1	...	17	1	2	...	4	6	4	4	2	4	3	1	1	1	...	9	59
II.—Constitutional Diseases.																						
1. Diathetic Diseases	1	2	2	1	...	1	1	...	1	9
2. Tubercular Diseases	2	2	4	2	2	3	2	1	...	1	3	18
TOTAL	2	2	4	2	2	3	...	1	4	3	1	1	1	4	27
III.—Local Diseases.																						
1. Diseases of the Nervous System	17	3	1	21	1	2	2	5	6	2	1	2	1	1	...	1	2	47
2. Diseases of the Organs of Circulation	1	...	3	1	2	2	1	1	7
3. Diseases of the Respiratory System	2	2	...	1	2	1	2	2	18
4. Diseases of the Digestive Organs	2	2	2	1	...	1	...	1	...	3	1	11
5. Diseases of the Urinary Organs	1	1
TOTAL	21	3	1	1	...	26	...	2	2	4	4	10	10	3	5	4	5	2	1	...	5	84
IV.—Developmental Diseases.																						
1. Diseases of Children	7	1	...	1	...	9	1	10
2. Diseases of Adults	2	2
3. Diseases of Old People	11
4. Diseases of Nutrition	16	1	2	19	...	1	...	1	2	2	1	...	1	4	...	3	2	26
TOTAL	23	2	2	1	...	28	1	1	...	1	...	2	2	2	1	1	1	4	...	3	2	49
V.—Violence.																						
1. Accident or Negligence	1	1	3	5	2	2	2	3	8	3	5	2	1	1	1	...	4	39
2. Homicide	1	1	...	1	1	1	5
3. Suicide	1	2	4
TOTAL	1	1	3	5	2	2	2	4	9	5	5	3	2	1	1	...	7	48
Deaths, cause not ascertained
Unspecified or ill-defined	3	3	1	1	2	4	...	3	1	...	7	23
TOTALS FROM ALL CAUSES	60	12	8	3	...	83	4	7	6	15	23	22	24	18	15	13	8	8	5	4	3	290

Census Population: In all the Districts of the Colony, except the abovenamed, on 2nd March, 1868, 21,741 persons.

APPENDIX B.
METEOROLOGICAL OBSERVATION REPORT.

SIR,

The importance of meteorological information, and the benefits to be derived from records carefully obtained, are becoming more apparent, especially in countries where time has not allowed of a sufficient amount of knowledge to constitute experience; and where, consequently, a risk is incurred by those engaging in any occupation dependent upon the weather, or liable to suffer injury by uncertain or irregular changes of seasons. In England, a vast amount of benefit has been derived from the experience gained as the result of many years' carefully recorded observations; and, by a judicious use of this knowledge, the Board of Trade has been instrumental in establishing a system by which great saving in shipping, as well as of human life, is effected. In this more favored region, where storms are of comparatively rare occurrence, the principal object of meteorological observations should be to obtain a knowledge of the climate, with a view to mark its effects upon pastoral and agricultural pursuits, and to endeavor to discover the laws by which the amount and period of rainfall are governed, as well as their variation in different localities. In order to carry out this object, observations require to be taken in various parts of the colony; so that, by comparison, reliable results may be obtained.

Since 1860, with the exception of Dr. Haran's records at Cape York, observations have been taken at Brisbane only; and in consequence of the death of two of the gentlemen engaged in the work, as well as from other causes, the records have not been so satisfactory or correct as it is desirable they should be; for, without regularity and accuracy, reliable results cannot be arrived at.

Within the past few months, new stations for observing, with complete sets of instruments, have been established at Cape Moreton, Toowoomba, and Warwick. Cape Moreton, in latitude 27 degrees 1 minute south, longitude 153 degrees 28 minutes east, being almost the eastern extremity of Australia, and, since its discovery by Cook, in a position well known to the world, is likely to yield much valuable information. Mr. James Brayden, the observer at Cape Moreton, for several years acted in a similar capacity when this colony formed a portion of New South Wales; and, from the care with which his work is carried out, full reliance may be placed upon its accuracy.

At Toowoomba, latitude 27 degrees 34 minutes south, longitude 152 degrees 10 minutes east, 1,960 feet over mean sea level, an observatory has been established under the care of Mr. T. C. Cowl; and one also at Warwick, latitude 28 degrees 12 minutes south, longitude 152 degrees 16 minutes east, 1,520 feet over mean sea level, under the care of Mr. T. Towell; and as both of those gentlemen evince considerable interest in science, much benefit may be expected to be derived from their labors. The country surrounding Toowoomba and Warwick being entirely occupied under pastoral or agricultural pursuits, the results to be obtained from their observations cannot fail to be of ultimate benefit.

Summaries of the observations taken at Cape Moreton, Toowoomba, and Warwick, are published regularly every month in the *Government Gazette*, in a form similar to that of the observations taken at Brisbane; and by this means, uniform records are ensured.

In a short time, I hope to have several other stations established in the northern portion of the colony, in suitable localities.

Upon undertaking the duties of the office in September, 1868, I found that the monthly summaries were sent to two places only—Sydney and Adelaide; and believing that the salubrious climate of Queensland was comparatively unknown to the scientific world, correspondence was established with the following places:—Melbourne, Hobart Town, Wellington, Perth, Singapore, Hongkong, Calcutta, Madras, Bombay, Mauritius, Cape Town, London, Greenwich, Dublin, Edinburgh, Paris, Brussels, Berlin, Vienna, St. Petersburg, Quebec, Montreal, New York, Washington, New Orleans, and Jamaica. Communications have been received from the following:—Sydney, Adelaide, Melbourne, Hobart Town, Wellington, Hongkong, Calcutta, Edinburgh, Vienna, St. Petersburg, and Washington. The proposition to exchange papers on meteorology has been warmly accepted, and valuable scientific works and papers have been forwarded, and are now in my hands for the inspection of persons taking an interest in such matters.

Dr. Buchan, Secretary to the Scottish Meteorological Society of Edinburgh, writes:—"This society will have much satisfaction in entering into communication with you; as it is only by international co-operation, meteorology is destined to progress. I have no barometric means on the Australian coast north of Brisbane; if you could send me any, even for a year, or part of a year, they are so precious—in short, would be a great prize. The extension of your stations to Cape York is perhaps the most valuable addition that could be made at present to the meteorology of the globe. I would have given almost anything, when constructing my isobaric charts, for a year's barometric means from Cape York, since thereby I could have determined with some precision the position of the belt of low pressure over the Pacific, when the sun is south of the equator."

This extract will serve to show the estimation in which our records are likely to be held by the most eminent scientific men of Europe; and, fortunately, I was enabled to supply the information required by Dr. Buchan, by sending to Edinburgh a copy, *in extenso*, of Dr. Haran's very elaborate and accurate observations from May 1865, to July, 1867. The Government observers at St. Petersburg, Vienna, Washington, and other places, have expressed their views in similar terms, and also the desire they feel to obtain the meteorological records of this colony, in exchange for their own.

From a comparison of the records of five years, I find that the mean temperature of the air, in Brisbane, approximates closely to that of Funchal, in the island of Madeira; the average temperature of Funchal being 68.5 degs., and of Brisbane 70.0 degs.

I have, &c.,

EDMUND MAC DONNELL,

Government Meteorological Observer.

To the Registrar-General of Queensland.

METEOROLOGY.

44

SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT BRISBANE, QUEENSLAND, IN 1863.

LATITUDE 27° 28' 3" South; LONGITUDE 153° 6' 15" East; Distant from Sea-coast, 10 miles; height of Observatory above Mean Sea level 140 feet.

1863.	MEAN BAROMETER.			MEAN TEMPERATURE OF AIR.			MEAN TEMPERATURE OF EVAPORATION.			MEAN HUMIDITY.			RAIN.			READINGS IN SUN.		READINGS IN SHADE.						OZONE.		ELECTRICITY DURING MONTH.	
	a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Total Fall.	No. of wet days.		Maximum in Sun.	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature.	12 hours (day).	24 hours.	Positive.	Negative.
January ...	29.940	29.863	29.935	81.6	85.8	74.5	74.7	77.5	71.6	.710	.660	.840	7.22	16	4.314	111.2	59.4	104.0	83.9	62.0	69.9	21.4	76.9	2.2	4.4	41	52
February	29.958	29.904	29.973	77.4	82.6	74.7	72.4	75.1	71.7	.750	.660	.850	6.74	17	4.077	113.0	59.5	94.5	85.9	61.0	68.6	17.2	77.2	2.4	4.5	44	43
March ...	30.076	30.002	30.078	75.1	83.6	68.3	70.3	75.6	68.5	.730	.640	.890	0.58	7	4.365	112.4	55.0	96.0	87.0	57.0	63.6	23.5	75.3	2.2	4.4	51	42
April ...	30.235	30.140	30.227	69.7	79.6	66.2	64.9	71.8	64.1	.740	.630	.880	1.68	7	4.290	113.0	50.0	98.0	84.6	52.0	59.7	24.6	72.1	2.0	5.3	61	29
May ...	30.323	30.236	30.319	63.6	71.8	60.9	59.7	64.3	58.6	.770	.650	.880	1.13	10	4.283	99.1	43.0	82.5	78.8	45.5	55.8	20.1	67.3	1.9	4.4	49	44
June ...	30.133	30.045	30.101	57.4	69.7	55.4	54.6	61.0	53.7	.820	.650	.890	4.18	11	3.524	93.0	36.0	78.6	70.8	39.5	50.5	20.3	60.6	2.0	4.4	54	36
July ...	30.255	30.139	30.195	57.4	65.7	55.9	54.0	58.7	54.4	.790	.630	.890	5.48	10	2.594	98.5	37.5	76.5	67.2	39.0	49.4	19.5	58.3	1.9	4.0	69	24
August ...	30.125	30.019	30.106	59.0	69.3	56.2	53.8	60.4	53.6	.710	.560	.840	0.70	6	3.122	96.6	36.0	80.0	73.6	40.0	47.8	26.2	60.7	1.8	4.1	81	9
September	30.131	30.034	30.142	64.2	73.2	60.3	59.1	62.1	57.3	.690	.570	.680	1.87	7	4.592	103.5	41.0	87.0	78.1	46.0	53.4	25.4	66.3	2.8	5.8	62	13
October ...	30.033	29.987	30.002	74.8	79.4	67.4	67.9	69.7	64.2	.620	.840	.810	3.64	5	7.929	108.0	51.0	94.0	83.5	53.0	61.3	22.2	74.0	4.0	7.7	52	41
November	29.971	29.885	29.961	77.5	79.3	60.0	69.3	70.9	61.1	.630	.640	.610	2.26	8	7.952	107.0	51.0	92.0	81.1	53.5	62.1	22.2	74.1	3.7	6.4	54	36
December	29.881	29.808	29.870	81.9	84.9	73.6	71.2	74.8	69.8	.650	.670	.680	0.50	6	10.216	130.0	56.0	100.5	89.0	60.0	76.6	21.4	80.3	2.8	5.7	61	32
For year } 1863 }	30.171	30.005	30.075	70.0	77.1	66.1	64.7	69.1	62.6	.720	.634	.812	35.98	110	61.258	130.0	36.0	104.0	80.3	59.1	59.8	21.9	71.9	2.5	5.1	57	34
1867	30.058	29.992	30.040	70.8	77.4	66.6	64.9	68.6	63.6	.706	.644	.851	61.04	112	42.313	112.5	37.0	104.5	80.9	59.7	59.5	21.0	70.1	1.7	4.0	50	43

Total rainfall, in 1860, 54.63 inches; 1861, 69.44 inches; 1862, 28.27 inches; 1863, 68.82 inches; 1864, 47.00 inches; 1865, 24.11 inches; 1866, 37.24 inches; 1867, 61.04 inches; 1868, 35.98 inches. No. of days rain fell in 1860, 144; 1861, 155; 1862, 98; 1863, 146; 1864, 114; 1865, 52; 1866, 116; 1867, 112; 1868, 110.

The readings of the Barometer are corrected to 32° Fahrenheit, and mean sea level. Previous to September, 1868, the Observations were taken at a height of 70 feet; and after that date, 140 feet over mean sea level.

EDMUND MAC DONNELL,
Government Meteorological Observer.

APPENDIX TO REGISTRAR-GENERAL'S REPORT.

MAXIMUM TEMPERATURE in SUN (Solar Radiation) at BRISBANE, on each day during the Year 1868.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	105.0	94.5	101.0	104.4	99.1	82.7	90.0	91.0	...	106.5	97.0	101.0
2	98.1	86.5	98.0	104.8	90.0	90.5	87.0	88.0	...	90.5	97.0	100.0
3	102.0	97.5	99.4	105.1	93.5	90.4	86.0	89.4	96.0	88.0	91.0	96.0
4	103.7	103.5	97.0	111.2	95.0	...	90.2	93.0	91.0	91.5	92.0	97.0
5	111.2	103.0	98.0	92.5	90.6	...	93.0	92.0	84.5	98.0	100.0	100.0
6	105.3	101.3	95.5	100.0	97.0	82.2	85.7	...	93.0	98.0	88.0	105.0
7	110.5	102.5	96.0	104.5	83.0	83.0	76.0	80.0	88.0	97.0	91.5	106.0
8	82.5	98.0	94.5	105.0	88.0	90.4	...	84.8	93.0	92.5	92.0	113.0
9	104.2	104.8	96.8	110.2	85.0	73.2	...	87.0	91.0	97.0	90.0	83.0
10	106.0	100.8	100.8	103.8	95.0	75.0	...	82.7	90.0	98.0	96.5	95.0
11	108.5	100.0	102.1	109.1	94.4	74.1	...	80.4	93.7	92.0	98.5	102.0
12	100.7	99.1	102.8	113.0	79.1	85.2	81.0	78.3	98.0	95.0	96.0	128.0
13	103.0	92.8	105.8	104.5	87.1	91.0	80.0	78.2	83.0	108.0	93.5	129.5
14	103.6	73.8	105.7	98.5	83.0	89.8	88.0	84.2	88.6	93.0	107.0	122.0
15	105.9	85.0	100.3	99.0	82.1	93.0	81.0	91.0	94.5	100.0	93.0	126.0
16	102.7	94.1	103.0	102.0	90.4	...	87.5	95.0	91.5	98.0	96.5	128.0
17	100.4	101.8	101.0	101.5	90.7	93.0	88.6	83.0	89.9	106.5	94.0	110.0
18	102.0	90.0	102.3	98.0	90.4	85.2	98.5	95.5	89.0	107.0	99.0	115.0
19	101.9	102.0	98.0	100.0	94.2	83.2	...	90.0	90.0	94.0	98.0	115.0
20	82.0	106.0	90.0	90.5	98.0	87.0	...	89.5	95.5	98.5	102.0	115.0
21	82.0	107.0	105.5	91.0	82.8	87.4	75.0	90.0	91.0	102.0	106.0	130.0
22	82.2	103.1	107.0	92.0	91.0	81.2	71.5	96.0	...	92.0	92.0	127.0
23	95.7	104.0	103.0	87.0	87.0	76.0	78.0	96.6	...	96.0	101.0	125.0
24	104.2	113.0	109.0	99.5	90.7	75.0	83.0	95.0	...	89.0	94.0	128.0
25	103.5	100.5	111.0	99.9	84.8	81.0	82.5	86.6	95.8	87.5	97.0	129.0
26	102.8	99.7	108.0	92.0	89.5	80.0	82.0	84.0	100.5	95.0	96.5	125.0
27	108.2	97.2	111.0	91.0	92.5	85.3	86.0	96.0	103.5	99.0	95.0	120.0
28	108.7	101.7	99.3	94.6	90.4	90.7	87.0	95.0	96.0	95.5	96.0	121.0
29	105.0	100.7	101.0	83.7	90.5	90.5	89.4	90.0	100.0	93.5	97.0	128.0
30	104.7	...	109.1	98.0	90.5	91.0	...	94.0	96.5	96.0	98.0	120.0
31	101.7	...	112.4	...	82.0	...	86.0	96.0	...	114.0
Mean of each Month	101.2	98.5	102.0	99.8	89.6	84.3	84.7	88.1	93.0	97.1	96.1	103.3

MAXIMUM TEMPERATURE of the AIR (in Shade) at BRISBANE, on each day in the Year 1868.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	97.5	83.3	86.0	91.4	82.0	72.5	76.5	73.2	...	96.0	83.5	86.5
2	89.0	77.3	82.8	90.0	74.7	74.5	74.0	71.5	...	76.5	82.5	87.0
3	91.1	84.0	84.6	91.0	77.0	73.0	72.6	72.3	79.0	74.0	83.0	85.5
4	96.2	90.8	82.3	95.0	80.0	63.5	73.7	74.3	77.0	79.0	82.5	81.5
5	104.0	90.0	83.3	81.0	81.0	67.2	75.0	74.2	69.0	89.5	87.0	90.0
6	96.0	89.0	82.0	83.1	82.5	70.0	76.0	68.0	74.4	83.5	73.0	89.5
7	101.0	89.0	88.6	87.3	74.2	71.3	67.0	68.0	75.0	84.0	79.0	92.5
8	78.0	85.2	82.2	89.1	74.5	76.0	60.0	71.3	81.0	80.0	79.0	92.0
9	94.5	93.4	84.0	94.0	73.5	66.0	61.2	73.7	80.0	83.0	80.5	77.5
10	95.0	88.7	86.0	89.0	76.5	68.0	56.0	73.5	61.5	83.0	82.5	80.0
11	98.5	87.0	87.0	94.0	76.5	67.5	56.0	70.3	82.0	82.0	88.0	84.0
12	90.0	85.2	87.0	98.0	70.2	76.0	65.4	70.3	82.2	84.0	85.0	90.5
13	90.9	84.0	90.3	91.0	75.0	77.5	68.5	68.0	72.0	94.0	81.5	100.5
14	88.4	75.0	82.2	82.5	74.0	78.6	72.0	72.0	73.8	80.5	90.0	94.0
15	95.0	73.0	84.0	81.0	75.0	77.0	67.7	79.0	77.0	88.5	83.0	94.5
16	92.0	83.6	84.5	84.0	76.5	58.6	74.0	78.0	74.5	89.0	82.5	96.0
17	84.0	88.0	85.0	85.0	77.5	71.0	74.0	72.6	73.7	93.0	82.0	86.0
18	91.6	80.5	88.2	84.0	78.0	72.0	74.0	65.4	78.4	93.5	85.0	91.0
19	89.1	88.5	83.0	84.0	81.6	71.0	62.0	75.2	81.0	82.0	88.0	87.0
20	75.2	92.0	79.5	77.5	79.6	72.4	65.5	74.5	80.0	86.0	88.5	86.0
21	76.7	92.6	89.0	77.0	67.0	71.5	65.8	75.0	80.0	88.0	92.0	89.0
22	77.0	88.2	90.0	76.0	75.0	68.0	62.0	76.0	...	79.0	81.0	90.0
23	82.1	91.2	87.5	79.0	74.6	65.0	66.5	79.0	...	84.5	89.5	90.0
24	93.2	94.5	93.5	85.0	74.8	64.5	69.0	72.6	...	77.0	82.0	91.0
25	92.0	84.4	96.0	85.0	72.3	66.5	70.0	73.0	82.5	76.5	84.0	94.0
26	92.0	84.8	92.5	76.5	74.5	67.5	66.0	74.2	85.7	81.0	84.5	91.0
27	93.0	81.0	94.0	77.6	75.6	72.0	69.5	80.0	87.0	81.5	84.5	87.0
28	96.2	86.0	86.0	79.6	70.0	76.0	69.7	80.0	84.0	80.0	85.0	91.0
29	90.0	86.0	87.0	72.9	74.0	76.0	70.2	79.0	82.0	79.0	86.0	90.0
30	87.2	...	96.0	79.0	75.0	75.5	72.3	75.0	85.5	80.5	86.0	89.0
31	86.1	...	94.0	...	71.0	...	73.0	83.5	...	85.0
Mean of each Month	83.9	85.9	87.0	84.6	78.8	70.8	69.2	73.6	78.1	83.5	81.1	89.0

MINIMUM OF TEMPERATURE of the AIR at BRISBANE (taken on Grass), on each day in the Year 1868.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	71.2	65.0	62.0	55.5	53.0	53.0	48.0	41.5	...	59.0	60.0	61.0
2	70.0	65.5	62.0	58.0	58.0	53.2	54.0	44.0	...	55.5	60.5	62.0
3	65.1	64.5	63.0	61.5	53.0	50.5	45.0	45.0	41.0	51.0	62.0	60.0
4	61.3	60.2	63.0	64.0	55.0	56.5	40.0	46.0	49.0	56.0	63.0	59.0
5	67.0	60.5	61.0	61.5	55.0	55.0	47.5	50.0	47.5	60.0	69.0	67.5
6	70.0	66.0	63.5	61.0	51.0	55.5	49.0	48.5	45.0	65.0	63.0	79.0
7	73.3	65.5	62.0	55.0	53.5	52.0	53.5	52.0	44.5	63.0	59.0	69.0
8	69.8	71.0	65.0	58.0	54.0	48.5	51.0	53.0	51.5	57.5	65.0	70.0
9	66.4	69.5	64.0	63.0	54.0	51.0	48.0	45.0	50.0	60.5	59.5	61.5
10	69.0	69.0	63.0	62.2	53.5	53.0	49.0	40.5	50.0	58.0	59.5	59.5
11	71.2	68.5	61.0	73.0	53.5	57.0	48.5	40.0	51.0	57.0	60.0	63.0
12	67.0	68.0	60.0	71.5	54.5	56.0	49.5	40.0	44.5	63.0	51.0	70.0
13	60.8	68.3	58.5	54.0	56.0	53.5	47.5	38.0	50.0	56.0	51.0	66.0
14	59.4	68.0	60.0	58.5	56.0	54.0	44.5	36.0	49.0	62.5	63.0	67.0
15	60.3	65.0	60.0	52.0	56.0	55.0	41.0	38.0	57.0	66.0	59.0	72.0
16	61.1	65.5	58.0	52.0	62.0	54.0	47.0	40.5	52.0	64.0	55.0	71.0
17	69.2	71.0	57.0	51.0	57.0	57.0	48.0	52.0	49.0	62.0	55.5	56.0
18	69.0	73.0	57.0	52.0	57.0	58.0	45.0	42.0	51.0	58.5	59.0	66.0
19	71.0	71.0	63.0	53.0	57.0	50.5	46.0	49.2	52.0	63.0	67.5	64.5
20	65.1	73.0	60.0	60.0	59.0	44.5	56.0	42.0	49.0	68.0	66.0	65.0
21	63.0	72.0	62.5	58.0	59.5	42.0	57.0	41.0	49.0	64.0	66.0	67.5
22	65.1	70.5	60.0	59.0	52.0	42.0	48.0	42.0	...	58.0	61.0	67.0
23	66.0	71.0	59.0	58.0	45.0	39.5	38.5	45.0	...	63.0	66.0	65.0
24	70.0	67.0	61.0	52.0	44.0	37.0	37.5	49.5	...	63.0	61.0	65.0
25	70.5	66.0	63.5	50.5	45.0	36.0	40.5	49.0	49.5	58.0	58.5	66.0
26	67.5	60.0	65.0	58.0	43.0	38.0	50.0	47.0	46.0	57.0	59.5	65.0
27	69.1	62.0	67.0	57.0	53.5	39.0	50.0	53.0	58.0	58.0	60.0	63.0
28	70.0	59.5	63.0	55.0	51.0	41.0	50.5	50.0	61.0	58.5	61.0	65.0
29	70.3	60.0	61.0	55.0	57.0	42.0	46.5	56.0	57.5	56.5	60.5	68.0
30	70.0	...	61.0	50.5	57.5	42.5	42.0	41.0	53.0	54.0	62.0	72.0
31	67.7	...	55.0	...	54.0	...	45.0	58.0	...	68.0
Mean of each Month	67.3	66.5	61.3	57.6	53.9	44.4	47.2	45.2	50.2	59.8	60.3	65.8

MINIMUM TEMPERATURE of the AIR (in Shade) at BRISBANE, on each day in the Year 1868.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	68.5	67.7	63.5	57.5	56.0	54.7	50.0	44.5	...	59.5	60.5	62.0
2	68.7	67.0	63.5	59.5	59.0	55.0	56.0	46.0	...	56.5	62.0	63.0
3	70.0	66.5	65.0	63.0	56.0	53.5	47.5	47.0	64.0	53.0	63.5	71.0
4	65.0	62.0	63.0	66.0	56.5	57.0	49.5	48.0	50.0	58.5	65.0	61.0
5	70.3	63.0	64.5	64.0	56.5	55.5	50.2	51.0	49.5	62.0	70.0	72.0
6	73.5	68.8	66.0	64.0	54.0	56.0	51.5	50.0	47.0	67.0	64.0	63.5
7	77.5	68.0	64.0	57.5	56.0	53.7	56.0	55.0	46.5	66.0	60.5	72.5
8	75.0	72.5	67.0	59.9	55.0	50.5	52.5	55.5	53.5	59.5	66.0	72.0
9	70.5	71.5	66.3	65.0	56.5	53.0	49.0	47.0	52.0	62.0	61.5	64.0
10	71.5	71.8	65.8	63.5	55.0	55.5	51.0	42.0	51.5	59.5	60.0	62.0
11	75.0	70.5	63.0	74.5	55.0	57.5	50.0	43.6	53.5	58.5	61.0	66.0
12	69.6	71.7	62.0	73.0	56.5	58.5	50.5	45.0	46.0	65.0	54.0	72.0
13	65.2	70.5	60.0	56.0	58.8	56.0	50.0	42.0	51.7	58.0	53.5	67.0
14	62.0	69.7	61.5	60.5	58.5	55.4	47.5	40.0	50.5	64.0	64.0	69.0
15	64.0	67.2	69.0	54.0	60.0	57.0	44.0	40.0	54.5	68.0	60.0	73.0
16	65.1	67.7	60.0	54.0	63.0	54.5	49.6	43.0	53.0	66.0	56.0	74.0
17	71.0	72.0	58.5	55.0	59.5	57.5	49.0	54.5	52.5	63.5	57.0	60.0
18	71.2	74.0	59.0	54.5	59.0	58.8	39.0	45.5	53.0	60.0	60.5	67.0
19	74.0	74.0	65.0	56.0	58.5	52.5	47.5	52.5	54.0	64.0	69.5	65.0
20	67.5	75.7	62.0	62.0	60.5	45.3	56.5	45.0	51.0	70.0	67.5	67.0
21	66.8	75.0	65.0	59.7	61.5	43.4	59.5	44.0	50.5	64.0	67.5	70.0
22	69.0	72.5	61.0	60.5	53.7	43.0	50.5	45.0	...	59.5	63.0	69.0
23	69.6	73.0	61.5	60.0	47.0	42.5	42.0	46.5	...	64.5	67.0	66.0
24	70.9	69.4	63.0	54.5	45.5	39.5	40.0	51.0	...	64.5	62.0	67.0
25	72.0	68.1	65.0	52.7	47.0	40.0	43.5	52.5	51.1	60.0	59.5	68.0
26	69.0	62.2	68.0	60.0	45.5	40.5	56.0	48.0	50.6	59.0	60.5	70.0
27	71.5	64.5	69.0	59.0	55.0	40.5	52.0	55.0	62.5	60.0	61.0	65.0
28	71.5	61.0	65.5	56.8	53.0	42.7	52.0	51.7	64.5	60.0	62.0	67.0
29	71.7	62.0	63.5	57.0	58.5	42.5	49.0	50.0	57.0	58.0	61.5	69.0
30	70.8	...	66.5	52.0	59.0	44.0	44.2	44.0	60.0	55.0	62.5	72.0
31	69.0	...	57.0	...	56.0	...	47.5	60.0	...	70.0
Mean of each Month	69.9	68.6	63.6	59.7	55.8	50.5	49.4	47.8	53.4	61.3	62.1	67.6

RAINFALL at BRISBANE for each Day during the Year 1868.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	...	·13
2	...	·62	·08
3	·07	·31
4	·02	·80	...	·25	·04
5	·06	·72	·24	...
6	·23	·15	·93	...
7	·02	·05	·02	·15	...
8	·12	·03	·97	·67	...
9	1·15	·08	·02	...	·16	·02	·10
10	·43	·06	1·16
11	·49	·30	·09	·08	·02	...
12	·26	·12	·10	·04	·02
13	...	·28	·15	·01
14	...	2·09	...	·17	·10
15	·46	·15	·45
16	...	·70	·08	1·47	·04	·19	...	·33
17	·45	·68	·63	·02	...	·05
18	·62	·48	·06
19	·47	·11	·16	·73	·42
20	·22	·14	...	·02	3·91	·02	·01
21	1·60	·05	...	·60	·14	...
22	·62	·27
23	·14	·22	...	·09	1·03
24	·27	·23	·56
25	...	·34	·03	...	·89
26	·08	·04	·12
27	·02	...	·13	·07
28	...	·03	...	·02	·05
29	·23	·38	·09	·01
30	·11	·02
31	·04	·12
Total in each month	7·22	6·74	0·58	1·68	1·13	4·18	5·48	0·70	1·87	3·64	2·26	0·50
No. of days on which rain fell	16	17	7	7	10	11	10	6	7	5	8	6

Total Rainfall during year, 35·98 inches. Number of days on which Rain fell, 110.

RAINFALL at BRISBANE for NINE YEARS, viz., 1860, 1861, 1862, 1863, 1864, 1865, 1866, 1867, and 1868; and Number of Days on which Rain fell.

Months.	1860.		1861.		1862.		1863.		1864.		1865.		1866.		1867.		1868.	
	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.	Inches.	Days' fall.
January	2·54	9	9·23	17	4·25	12	6·48	19	4·47	15	7·04	10	6·85	11	7·22	16
Feb.	9·64	18	4·58	16	2·61	8	15·14	16	9·33	10	4·09	10	12·66	10	6·74	17
March	6·58	18	8·86	18	6·87	15	14·36	23	9·48	10	0·70	2	0·81	10	5·37	18	0·58	7
April	7·55	18	10·39	19	0·79	8	6·70	14	3·13	12	0·50	3	3·09	15	15·28	19	1·68	7
May	0·12	4	2·87	9	2·21	9	0·92	9	2·63	15	0·21	2	3·32	17	8·97	13	1·13	10
June	0·96	2	6·88	10	3·00	11	2·75	13	3·01	10	4·28	4	8·62	15	4·14	7	4·18	11
July	0·49	7	1·90	7	0·51	2	2·43	11	3·04	7	1·55	4	1·97	10	0·72	6	5·48	10
August	12·39	17	10·41	13	1·81	9	4·89	4	0·90	3	4·48	12	0·77	7	0·70	6
Sept.	4·18	14	1·83	11	2·71	9	1·07	3	0·98	7	3·36	6	0·70	9	0·92	7	1·87	7
Oct.	3·35	12	2·71	6	0·45	5	9·30	13	1·34	9	0·30	2	3·39	9	0·25	3	3·64	5
Nov.	3·69	10	4·59	12	0·99	9	4·93	5	2·36	7	0·83	4	1·36	8	2·34	4	2·26	8
Dec.	3·14	15	5·15	17	3·88	10	2·93	11	2·34	8	0·35	2	9·50	11	2·77	7	0·50	6
TOTAL	54·63	144	69·44	155	28·27	98	68·82	146	47·00	114	24·11	52	37·24	116	64·04	112	35·98	110

Total Rainfall during nine years, 429·17 inches. Number of days Rain fell, 1,077.

RANGE of TEMPERATURE (in Shade) at BRISBANE, for each Day in the Year 1868.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	29.3	15.6	22.5	33.9	26.0	17.8	26.5	28.7	...	24.5	23.0	24.5
2	20.3	10.3	19.3	30.5	15.7	19.5	18.0	25.5	...	20.0	20.5	24.0
3	21.1	17.5	19.6	28.0	21.0	19.5	25.1	25.3	25.0	21.0	29.5	14.5
4	31.2	28.8	17.3	29.0	23.5	6.5	24.2	26.3	27.0	20.5	17.5	20.5
5	34.7	27.0	18.8	17.0	24.5	11.7	25.0	23.2	19.5	27.5	17.0	18.0
6	23.5	20.2	16.0	19.1	28.5	14.0	24.5	18.0	27.4	16.5	14.0	26.0
7	23.5	21.0	24.6	29.8	18.2	17.6	11.0	13.0	28.5	20.0	18.5	20.0
8	3.0	12.7	15.2	29.2	19.0	25.5	18.1	15.8	27.5	20.5	13.0	20.0
9	24.0	21.9	17.7	29.0	27.0	13.0	12.2	26.7	28.0	21.0	19.0	13.5
10	23.5	16.9	20.2	25.5	21.5	13.0	5.0	31.5	10.0	23.5	22.5	18.0
11	23.5	16.5	24.0	19.5	21.5	10.0	6.0	26.7	28.5	23.5	27.0	18.0
12	20.4	13.5	25.0	25.0	13.7	17.5	14.9	25.3	36.2	29.0	31.0	18.5
13	31.7	13.5	30.3	35.0	16.2	20.5	18.5	26.0	20.3	36.0	28.0	33.5
14	26.4	5.3	26.7	22.0	16.5	23.2	24.5	32.0	23.3	16.5	26.0	25.0
15	31.0	10.8	15.0	27.0	15.0	20.7	23.7	39.0	22.5	20.5	23.0	21.5
16	26.9	15.9	24.5	30.0	13.5	4.1	24.4	35.0	21.5	15.0	26.5	22.0
17	13.2	16.0	27.5	30.0	18.0	13.5	25.0	18.1	21.2	29.5	25.0	26.0
18	20.4	6.5	29.2	29.5	19.0	13.2	35.0	19.9	25.4	33.5	24.5	24.0
19	15.1	14.5	18.0	23.0	23.1	18.5	14.5	25.7	27.0	18.0	18.5	23.0
20	7.7	16.3	17.5	15.5	19.1	27.1	9.0	29.5	29.0	16.0	21.0	19.0
21	9.9	17.6	24.0	17.3	5.5	28.1	6.8	31.0	29.5	24.0	24.5	19.0
22	8.0	15.7	29.0	16.5	21.3	25.0	12.0	31.0	...	29.5	18.0	21.0
23	12.5	18.2	26.0	19.0	27.6	22.5	24.5	32.5	...	20.0	22.5	24.0
24	22.3	25.1	30.5	30.5	29.3	25.0	29.0	21.6	...	12.5	20.0	24.0
25	20.0	16.3	31.0	32.3	25.3	26.5	26.5	20.5	30.5	16.5	24.5	26.0
26	23.0	22.2	24.5	16.5	29.0	27.0	10.0	26.2	35.1	22.5	24.0	21.0
27	21.5	16.5	25.0	18.6	20.6	31.5	17.5	25.0	34.5	21.5	23.5	22.0
28	24.7	25.0	20.6	22.8	17.0	33.3	17.7	23.3	19.5	22.0	23.0	24.0
29	29.3	24.0	23.5	15.9	15.5	33.5	21.2	29.0	25.0	21.0	24.5	21.0
30	16.4	...	29.5	27.0	16.0	31.5	28.1	31.0	25.5	25.5	23.5	17.0
31	17.1	...	37.0	...	15.0	...	25.5	23.5	...	15.0
Mean of each Month	21.4	17.2	23.5	24.6	20.1	20.3	19.5	26.2	25.4	22.2	22.2	21.4

EVAPORATION in inches, at BRISBANE, on each Day during the Year 1868.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	.127	.141	.134	.140	.140	.140	.056	.100450	.254	.302
2	.125	.139	.140	.142	.145	.130	.060	.096190	.190	.340
3	.120	.125	.146	.150	.138	.134	.078	.081	.117	.182	.266	.310
4	.150	.150	.137	.140	.136	.130	.084	.087	.128	.226	.320	.350
5	.148	.144	.138	.146	.140	.133	.084	.089	.094	.274	.340	.366
6	.147	.146	.141	.145	.137	.128	.122	.075	.101	.196	.200	.260
7	.142	.140	.137	.146	.141	.130	.087	.093	.114	.309	.140	.340
8	.121	.149	.141	.148	.138	.126	.091	.105	.120	.150	.100	.400
9	.122	.140	.146	.140	.140	.134	.096	.101	.101	.228	.245	.180
10	.147	.153	.137	.144	.141	.131	.084	.088	.090	.262	.230	.210
11	.137	.141	.140	.147	.145	.128	.065	.095	.121	.210	.246	.290
12	.150	.140	.149	.136	.134	.136	.090	.086	.120	.250	.280	.330
13	.151	.127	.139	.142	.130	.120	.090	.099	.115	.380	.220	.370
14	.150	.129	.140	.146	.138	.137	.127	.104	.110	.260	.320	.330
15	.146	.131	.146	.150	.131	.126	.100	.110	.078	.300	.290	.350
16	.148	.128	.149	.144	.140	.120	.090	.103	.111	.250	.265	.390
17	.140	.120	.140	.149	.137	.124	.085	.096	.101	.328	.279	.200
18	.146	.140	.136	.145	.135	.131	.090	.117	.109	.344	.289	.400
19	.133	.147	.120	.142	.140	.135	.055	.127	.107	.302	.330	.340
20	.115	.146	.100	.138	.137	.123	.025	.117	.120	.288	.308	.330
21	.127	.151	.120	.142	.138	.125	.091	.120	.114	.316	.328	.300
22	.121	.137	.148	.138	.144	.111	.090	.127220	.140	.370
23	.137	.153	.140	.144	.140	.110	.087	.099125	.300	.350
24	.143	.151	.152	.140	.142	.100	.087	.120115	.246	.400
25	.140	.140	.154	.145	.147	.098	.090	.115	.280	.262	.310	.440
26	.142	.133	.148	.139	.138	.077	.061	.101	.300	.260	.290	.390
27	.151	.146	.153	.140	.136	.073	.084	.120	.400	.280	.276	.270
28	.148	.137	.142	.144	.141	.081	.090	.117	.250	.192	.300	.400
29	.146	.153	.137	.136	.130	.098	.199	.114	.200	.240	.300	.370
30	.152154	.142	.136	.050	.065	.115	.396	.220	.300	.340
31	.141160128090220140
Total of each Month	4.314	4.077	4.365	4.290	4.283	3.524	2.594	3.122	3.897	7.929	7.952	10.216
Daily Mean	.139	.140	.140	.143	.138	.117	.083	.104	.155	.256	.265	.330

Total Evaporation of year 60.563 inches. The maximum, .450, was on 1st October, during a hot wind. Previous to 24th September, the readings were taken at 70 feet over mean sea level, after that date at 140 feet, and in a more exposed position.

DIRECTION of the WIND at BRISBANE during each Month in the Year 1868.

DIRECTION.	January.			February.			March.			April.			May.			June.			July.			August.			September.			October.			November.			December.			Total in each direction.	
	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.					
North ...	3	2	1	1	1	...	2	1	1	5	1	...	1	1	1	2	1	...	2	2	...	2	2	3	2	3	2	...	1	3	1	6	53	
North-west	...	3	2	1	...	1	2	4	4	2	2	2	2	1	...	1	3	4	...	2	1	1	1	39	
West	11	3	2	1	4	...	2	5	...	2	4	2	8	15	8	3	8	6	12	5	6	15	7	2	2	1	...	5	2	1	...	142
South-west	...	1	1	3	8	2	1	7	3	4	14	1	5	18	9	14	6	3	15	14	6	10	14	8	2	10	5	5	...	2	...	3	1	1	1	197
South	3	...	2	4	3	4	12	2	8	8	8	10	7	11	4	6	5	4	3	1	3	8	3	6	6	4	2	1	...	7	3	3	4	4	...	4	163
South-east	...	3	...	13	4	4	7	5	5	8	...	1	1	1	2	...	3	7	4	...	2	3	1	...	2	1	2	7	12	...	3	8	6	7	3	4	3	132
East	4	4	...	8	5	7	1	...	2	2	...	1	1	3	5	3	3	8	7	2	3	5	8	3	5	90	
North-east	...	3	18	10	4	15	16	2	14	7	2	19	6	1	5	1	...	4	1	1	9	...	1	10	2	2	10	8	8	15	6	10	16	11	9	22	13	282

EDMUND MAC DONNELL,
Government Meteorological Observer.

APPENDIX C.

SUMMARY OF METEOROLOGICAL OBSERVATIONS, TAKEN AT SWEER'S ISLAND, GULF OF CARPENTARIA, QUEENSLAND, FOR EACH MONTH OF THE YEAR 1868.

Latitude, 17° 6' 50" South; Longitude, 139° 41' East. Height above the Sea, 33 feet.

1868.	MEAN READING OF BAROMETER.			MEAN TEMPERATURE IN SHADE.			DIRECTION OF WIND, AND NO. OF DAYS.																								MEAN EXTENT OF CLOUD.			Number of Wet Days.		
	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.								3 p.m.								9 p.m.								9 a.m.	3 p.m.	9 p.m.			
							N.	N.W.	N.E.	W.	S.W.	E.	S.E.	S.	N.	N.W.	N.E.	W.	S.W.	E.	S.E.	S.	N.	N.W.	N.E.	W.	S.W.	E.	S.E.	S.						
January	86	93	13	
February	...	29.997	29.932	30.001	83	87	83	5	3	6	6	2	...	5	2	5	6	7	1	3	1	6	...	10	5	7	1	...	2	3	1	5.241	5.62	4.793	11	
March	...	30.029	29.957	30.003	84	88	85	...	2	5	2	4	4	9	5	6	1	9	...	6	8	1	9	4	4	4	5	1	2	2	2.806	2.1	2.0	3		
April	...	30.060	30.407	30.098	83	88	84	1	1	2	...	4	2	19	1	3	1	9	1	16	...	9	1	9	1	16	...	2.566	2.466	1.2	1	
May	...	30.163	30.098	30.137	77	84	79	6	23	2	1	...	1	9	17	3	...	1	...	1	5	...	2	13	.806	.96	.548	...	
June	...	30.120	30.056	30.094	74	81	76	...	2	2	1	4	8	11	2	6	...	5	7	6	6	7	2	4	2	9.1	.5	.806	.2	...	
July	...	30.015	30.081	30.121	69	77	72	1	...	1	10	16	3	4	6	15	6	1	3	1	2	9	15	.871	.838	.903	...	
August	...	30.152	30.075	30.110	69	77	73	1	7	17	6	7	3	4	11	5	1	8	1	4	1	...	2	7	6	.871	.774	.096	...	
September	...	30.129	30.051	30.078	77	82	78	6	1	10	...	1	4	4	16	1	6	5	...	2	8	3	...	6	5	7	1.766	1.166	.666	1		
October	...	30.102	30.020	30.043	83	86	83	16	...	3	1	...	8	...	3	22	1	6	2	6	11	...	12	1	1	2.742	1.29	.935	3	
November	...	30.077	29.999	30.011	86	90	86	13	1	4	...	2	3	5	2	19	3	4	3	1	...	4	14	...	8	1	2	2.433	1.1	1.0	7	2
December	...	29.983	29.914	29.941	84	88	85	10	1	6	4	4	3	1	2	15	2	8	1	...	4	1	...	10	11	2	3	...	4	1	...	6.226	5.097	4.451	13	

REMARKS.

JANUARY.—From the 1st to 9th, fine; 10th, 11th, 12th, rainy; during the latter part of the month the rains were frequent and heavy; on 25th, a gale set in from the S.E. with heavy rain.

FEBRUARY.—A severe gale, which commenced on the morning of the 1st, set in from the S.E., veering round to N.E., accompanied with heavy rain continued until the 3rd; during those days the tides were exceedingly high; from the 8th to the 12th, rains continued; from 13th to 19th fine; the remainder of the month the weather was unsettled; lightning frequent during the month.

MARCH.—On 11th, at 6.30 p.m., a very heavy gale was experienced, lasting about one hour, apparently the outer edge of a cyclone to the west.

JUNE.—On 10th, 27th, and 28th, thick fogs; on 29th and 30th, heavy dews.

JULY.—On 1st and 4th, heavy dews; high winds prevailed from 8th to 12th.

AUGUST.—On 1st, 28th, and 29th, heavy dews; 17th and 19th, foggy; on the 18th partial eclipse of the sun (visible).

OCTOBER.—On 8th, 10th, 12th, 20th, lightning was observed in W. and S.W. quarters, on 23rd, 25th and 27th, to S.E. On 25th, a strong gale from N.E., accompanied with lightning and thunder.

NOVEMBER.—Weather clear and fine throughout the month.

DECEMBER.—Heavy rains, accompanied with lightning and thunder, marked the latter part of the month; on the 30th a waterspout was observed to pass about a mile from the island; on 30th and 31st unusually high tides occurred.

APPENDIX D.

RETURN of the Registration Districts, with the Names of the Persons holding the Office of District Registrar.

METROPOLITAN DISTRICT.

FREDERICK RAWLINS, Registrar-General.

COUNTRY DISTRICTS.

BANANA	W. H. CLYDE.
BOWEN	HENRY BRAMSTON.
BROADSOUND (ST. LAWRENCE)	HORACE BURKITT.
CAPE RIVER... ..	W. R. O. HILL.
CARDWELL	HENRY RICHARDS
	succeeded by
	CHARLES H. EDEN.
CARPENTARIA (BURKE)	GEORGE F. SANDROCK.
CLEVELAND BAY (TOWNSVILLE)	JAMES GORDON.
CONDAMINE	GEORGE L. LUKIN
	succeeded by
	W. C. N. BUSSELL.
DALBY	F. W. ROCHE.
DRAYTON AND TOOWOOMBA	WILLIAM MURPHY.
GAYDAH	MATHEW AIREY
	succeeded by
	ROBERT VINCENT.
GOONDIWINDI	ROBERT VINCENT
	succeeded by
	W. R. GOODALL.
IPSWICH	WILLIAM HENDREN.
ISAACS EAST (NEBO)	SYDNEY MOORE
	succeeded by
	G. F. PRICE.
LEYBURN	BENJAMIN CRIBB, JUNR.
MACKAY	JOHN T. BAKER
	succeeded by
	FREDERICK NANTES.
NANANGO	W. C. N. BUSSELL
	succeeded by
	ARTHUR HALLORAN, JUNR.
NORTH COOK (SOMERSET)... ..	HENRY G. SIMPSON
	succeeded by
	FRANK L. JARDINE.
PEAK DOWNS (CLERMONT)	HUGH STOWELL.
PORT CURTIS (GLADSTONE)	JOHN S. POWE.
PRINCHESTER	BENJAMIN ROWLANDS.
ROCHAMPTON	FRANK N. BEDDEK.
ROMA	JOHN MOOREHEAD
	succeeded by
	W. O. NORRIS.
ST. GEORGE... ..	QUINTIN A. THOMPSON.
SPRINGSURE... ..	CHARLES SHORT DICKEN.
SURAT	RICHARD T. TAYLOR.
TAMBO (MITCHELL)	GEORGE HALLAM
	succeeded by
	ALFRED HENRY.
TAROOM	WILLIAM CAVE.
WARREGO (CHARLEVILLE)... ..	WM. O. NORRIS
	succeeded by
	ARCHIBALD McDOWALL.
	succeeded by
	POLLET CARDEW.
WARWICK	W. H. BROWN.
WIDE BAY (MARYBOROUGH)	JOHN H. STEVENS.
WOOGAROO	KEARSEY CANNAN.

[Price 1s. 5d.]

By Authority: JAMES C. BEAL, Government Printer, William street, Brisbane.